

chain nodes :

42 44 46 47 48

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32  
33 34 35 36

chain bonds :

4-48 8-48 14-46 44-46 46-47

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18 14-15 15-16 16-17 17-18 19-20  
19-24 20-21 21-22 22-23 23-24 25-26 25-30 26-27 27-28 28-29 29-30 31-32 31-36 32-33 33-34 34-35 35-36

exact/norm bonds :

4-48 8-48 44-46 46-47

exact bonds :

14-46

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18 14-15 15-16 16-17 17-18 19-20  
19-24 20-21 21-22 22-23 23-24 25-26 25-30 26-27 27-28 28-29 29-30 31-32 31-36 32-33 33-34 34-35 35-36

isolated ring systems :

containing 1 : 7 : 13 : 19 : 25 : 31 :


G1:[\*1],[\*2],[\*3]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:Atom  
15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom  
28:Atom 29:Atom 30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 35:Atom 36:Atom 42:CLASS 43:Atom 44:CLASS 45:Atom  
46:CLASS

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2025	((544/324) or (514/275)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/01 04:18



chain nodes :  
42 44 45 46 47 48 50

ring nodes :  
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32  
33 34 35 36

chain bonds :  
4-47 8-47 12-44 14-45 44-45 45-46 48-50

ring bonds :  
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18 14-15 15-16 16-17 17-18 19-20  
19-24 20-21 21-22 22-23 23-24 25-26 25-30 26-27 27-28 28-29 29-30 31-32 31-36 32-33 33-34 34-35 35-36

exact/norm bonds :  
4-47 8-47 12-44 44-45 45-46 48-50

exact bonds :  
14-45

normalized bonds :  
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18 14-15 15-16 16-17 17-18 19-20  
19-24 20-21 21-22 22-23 23-24 25-26 25-30 26-27 27-28 28-29 29-30 31-32 31-36 32-33 33-34 34-35 35-36

isolated ring systems :  
containing 1 : 7 : 13 : 19 : 25 : 31 :

G1:[\*1],[\*2],[\*3]

Match level :  
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:Atom  
15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom  
28:Atom 29:Atom 30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 35:Atom 36:Atom 42:CLASS43:Atom 44:CLASS45:CLASS  
46:CLASS


11/561,039

RE.CNT 45      THERE ARE 45 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/528,913

=>

Uploading C:\Program Files\Stnexp\Queries\10528913.str



```
chain nodes :
42 44 46 47
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
24 25 26 27 28 29 30 31 32 33 34 35 36
chain bonds :
4-8 14-46 44-46 46-47
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18
14-15 15-16 16-17 17-18 19-20 19-24 20-21 21-22 22-23 23-24 25-26 25-30
26-27 27-28 28-29 29-30 31-32 31-36 32-33 33-34 34-35 35-36
exact/norm bonds :
44-46 46-47
exact bonds :
4-8 14-46
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18
14-15 15-16 16-17 17-18 19-20 19-24 20-21 21-22 22-23 23-24 25-26 25-30
26-27 27-28 28-29 29-30 31-32 31-36 32-33 33-34 34-35 35-36
isolated ring systems :
containing 1 : 7 : 13 : 19 : 25 : 31 :
```

G1:[\*1],[\*2],[\*3]

```
Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom
29:Atom 30:Atom 31:Atom 32:Atom 33:Page 134:Atom 35:Atom 36:Atom 42:CLASS
43:Atom 44:CLASS 45:Atom 46:CLASS 47:CLASS
```

11/561,039

L1        STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1                STR

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY -    AVAILABLE VIA OFFLINE PRINT \*

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 02:41:49 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED -        241 TO ITERATE

100.0% PROCESSED        241 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:    ONLINE    \*\*COMPLETE\*\*

BATCH    \*\*COMPLETE\*\*


PROJECTED ITERATIONS:        3889 TO        5751

PROJECTED ANSWERS:            0 TO            0

L2                0 SEA SSS SAM L1

=>

Uploading C:\Program Files\Stnexp\Queries\10528913 (a).str



```

chain nodes :
42 44 46 47 48
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
24 25 26 27 28 29 30 31 32 33 34 35 36
chain bonds :
4-48 8-48 14-46 44-46 46-47
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18
14-15 15-16 16-17 17-18 19-20 19-24 20-21 21-22 22-23 23-24 25-26 25-30
26-27 27-28 28-29 29-30 31-32 31-36 32-33 33-34 34-35 35-36
exact/norm bonds :
4-48 8-48 44-46 46-47
exact bonds :
14-46
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18
14-15 15-16 16-17 17-18 19-20 19-24 20-21 21-22 22-23 23-24 25-26 25-30
26-27 27-28 28-29 29-30 31-32 31-36 32-33 33-34 34-35 35-36
isolated ring systems :
containing 1 : 7 : 13 : 19 : 25 : 31 :

```

G1:[\*1],[\*2],[\*3]

Match level :

```

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom
29:Atom 30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 35:Atom 36:Atom 42:CLASS
43:Atom 44:CLASS 45:Atom 46:CLASS 4Page 3S 48:CLASS

```

L3            STRUCTURE UPLOADED

=> d l3

L3 HAS NO ANSWERS

L3            STR

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

Structure attributes must be viewed using STN Express query preparation.

=> s l3 sss sam

SAMPLE SEARCH INITIATED 02:43:25 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED -        295 TO ITERATE

100.0% PROCESSED        295 ITERATIONS

18 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:    ONLINE    \*\*COMPLETE\*\*

BATCH    \*\*COMPLETE\*\*

PROJECTED ITERATIONS:        4870 TO        6930

PROJECTED ANSWERS:            106 TO        614

L4            18 SEA SSS SAM L3

=> => s l3 sss ful

FULL SEARCH INITIATED 02:49:19 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED -        6155 TO ITERATE

100.0% PROCESSED        6155 ITERATIONS


460 ANSWERS

SEARCH TIME: 00.00.01

L5            460 SEA SSS FUL L3

=>

Uploading C:\Program Files\Stnexp\Queries\10528913 (sub).str



```

chain nodes :
42 44 45 46 47 48 50
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
24 25 26 27 28 29 30 31 32 33 34 35 36
chain bonds :
4-47 8-47 12-44 14-45 44-45 45-46 48-50
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18
14-15 15-16 16-17 17-18 19-20 19-24 20-21 21-22 22-23 23-24 25-26 25-30
26-27 27-28 28-29 29-30 31-32 31-36 32-33 33-34 34-35 35-36
exact/norm bonds :
4-47 8-47 12-44 44-45 45-46 48-50
exact bonds :
14-45
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18
14-15 15-16 16-17 17-18 19-20 19-24 20-21 21-22 22-23 23-24 25-26 25-30
26-27 27-28 28-29 29-30 31-32 31-36 32-33 33-34 34-35 35-36
isolated ring systems :
containing 1 : 7 : 13 : 19 : 25 : 31 :

```

G1:[\*1],[\*2],[\*3]

Match level :

```

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom
29:Atom 30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 35:Atom 36:Atom 42:CLASS
43:Atom 44:CLASS 45:CLASS 46:CLASS 47:CLASS 48:CLASS 49:Atom 50:Atom

```

L6           STRUCTURE UPLOADED

=> d 16

L6 HAS NO ANSWERS

L6           STR

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY -   AVAILABLE VIA OFFLINE PRINT \*

Structure attributes must be viewed using STN Express query preparation.

=> s 16 sss sub=15 sam

SAMPLE SUBSET SEARCH INITIATED 02:51:06 FILE 'REGISTRY'

SAMPLE SUBSET SCREEN SEARCH COMPLETED -       17 TO ITERATE

100.0% PROCESSED           17 ITERATIONS

9 ANSWERS

SEARCH TIME: 00.00.01

PROJECTIONS (WITHIN SPECIFIED SUBSET):

ONLINE   \*\*COMPLETE\*\*

PROJECTED ITERATIONS (WITHIN SPECIFIED SUBSET):

93 TO       587

PROJECTED ANSWERS (WITHIN SPECIFIED SUBSET):

9 TO       360

L7           9 SEA SUB=L5 SSS SAM L6

=> => s 16 sss sub=15 ful

FULL SUBSET SEARCH INITIATED 02:51:42 FILE 'REGISTRY'

FULL SUBSET SCREEN SEARCH COMPLETED -       410 TO ITERATE

100.0% PROCESSED           410 ITERATIONS

194 ANSWERS

SEARCH TIME: 00.00.01

L8           194 SEA SUB=L5 SSS FUL L6

=> s 15 not 18


L9           266 L5 NOT L8

=> => s 19


L10          51 L9

=> d 110 1-51 bib,ab,hitstr


L10 ANSWER 1 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2007:746469 CAPLUS  
 DN 147:202995  
 TI Optimization of novel combi-molecules: Identification of balanced and mixed bcr-abl/DNA targeting properties  
 AU Rachid, Zakaria; Katsoulas, Athanasia; Williams, Christopher; Larroque, Anne-Laure; McNamee, James; Jean-Claude, Bertrand J.  
 CS Chemical Computing Group Inc., Montreal, QC, H3A 2R7, Can.  
 SO Bioorganic & Medicinal Chemistry Letters (2007), 17(15), 4248-4253  
 CODEN: BMCLE8; ISSN: 0960-894X  
 PB Elsevier Ltd.  
 DT Journal  
 LA English  
 AB Steps toward the identification of combi-mols. with strong abl tyrosine kinase (TK) inhibitory property and significant DNA damaging potential are described. The optimized combi-mol. (I) was shown to induce approx. twofold stronger abl TK inhibitory activity than Gleevec and high levels of DNA damage in chronic myelogenous leukemic cells.  
 IT 623901-01-9P 945028-65-9P  
 RL: PAC (Pharmacological activity); PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses) (bcr-abl/DNA targeting compds.)  
 RN 623901-01-9 CAPLUS  
 CN Benzamide, 4-amino-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 945028-65-9 CAPLUS  
 CN Benzamide, 4-amino-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




IT 945028-55-7P 945028-58-0P 945028-59-1P  
 RL: PAC (Pharmacological activity); PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (bcr-abl/DNA targeting compds.)  
 RN 945028-55-7 CAPLUS  
 CN Benzamide, 4-[bis(2-chloroethyl)amino]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 945028-58-0 CAPLUS

CN Benzamide, 4-[[bis(2-chloroethyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 945028-59-1 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(3-methyl-2-triazen-1-yl)-3-(trifluoromethyl)- (CA INDEX NAME)




IT 623901-04-2P 945028-57-9P 945028-60-4P  
945028-61-5P 945028-62-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(bcr-abl/DNA targeting compds.)


RN 623901-04-2 CAPLUS

CN Benzamide, 4-[3-(hydroxymethyl)-3-methyl-1-triazenyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 945028-57-9 CAPLUS


CN Benzamide, 4-[[[(2-chloroethyl)methylamino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 945028-60-4 CAPLUS  
CN INDEX NAME NOT YET ASSIGNED




RN 945028-61-5 CAPLUS  
CN INDEX NAME NOT YET ASSIGNED



RN 945028-62-6 CAPLUS  
CN Benzamide, 3-chloro-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(3-methyl-2-triazen-1-yl)- (CA INDEX NAME)




IT 404844-11-7P 945028-56-8P 945028-63-7P  
945028-64-8P 945028-66-0P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT  
(Reactant or reagent)  
(bcr-abl/DNA targeting compds.)  
RN 404844-11-7 CAPLUS  
CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 945028-56-8 CAPLUS

CN Benzamide, 4-[[2-hydroxyethyl)methylamino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 945028-63-7 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-nitro-3-(trifluoromethyl)- (CA INDEX NAME)



RN 945028-64-8 CAPLUS


CN Benzamide, 3-chloro-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-nitro- (CA INDEX NAME)



RN 945028-66-0 CAPLUS

CN Benzamide, 4-amino-3-chloro-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)


10/528,913



RE.CNT 26      THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 2 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2007:653891 CAPLUS  
 DN 147:227100  
 TI Local inhibition of liver fibrosis by specific delivery of a  
 platelet-derived growth factor kinase inhibitor to hepatic stellate cells  
 AU Gonzalo, Teresa; Beljaars, Leonie; van de Bovenkamp, Marja; Temming, Kai;  
 van Loenen, Anne-Miek; Reker-Smit, Catharina; Meijer, Dirk K. F.; Lacombe,  
 Marie; Opdam, Frank; Keri, Gyoergy; Oerfi, Laszlo; Poelstra, Klaas; Kok,  
 Robbert J.  
 CS Department of Pharmacokinetics and Drug Delivery, Groningen University  
 Institute for Drug Exploration, University of Groningen, Neth.  
 SO Journal of Pharmacology and Experimental Therapeutics (2007), 321(3),  
 856-865  
 CODEN: JPETAB; ISSN: 0022-3565  
 PB American Society for Pharmacology and Experimental Therapeutics  
 DT Journal  
 LA English  
 AB Liver fibrosis is characterized by excessive proliferation and activation  
 of hepatic stellate cells (HSC), a process in which platelet-derived  
 growth factor (PDGF) plays an important role. Inhibition of liver  
 fibrosis via specific delivery of a PDGF kinase inhibitor to HSC might  
 therefore be an attractive strategy. The HSC-selective carrier  
 mannose-6-phosphate modified human serum albumin (M6PHSA) was equipped  
 with a tyrosine kinase inhibitor, 4-chloro-N-[4-methyl-3-(4-pyridin-3-yl-  
 pyrimidin-2-ylamino)-phenyl]- benzamide (PAP19) (an imatinib derivative), by  
 means of the platinum-based universal linkage system (ULS). The  
 antifibrotic activity of PAP19-M6PHSA was evaluated in culture-activated  
 rat HSC and precision-cut liver slices from fibrotic rats. After 24-h  
 incubation, both free inhibitor PAP19 and PAP19-M6PHSA showed potent  
 activity, as determined by quant. reverse transcription-polymerase chain  
 reaction anal. of  $\alpha$ -smooth muscle actin ( $\alpha$ SMA) and procollagen  
 1 $\alpha$ 1. Next, we examined the organ distribution and antifibrotic activity of  
 PAP19-M6PHSA in bile duct-ligated (BDL) rats. Male Wistar rats at day 10  
 after BDL were administered a single dose of PAP19-M6PHSA and sacrificed  
 at 2 h, 1 day, or 2 days afterward. The accumulation of PAP19-M6PHSA in  
 the liver was quantified by high-performance liquid chromatog. anal. (30% of  
 the injected dose at 2 h) and detected in the liver by staining of the  
 carrier. Liver drug levels were sustained at 24 and 48 h after the single  
 dose. Furthermore, PAP19-M6PHSA reduced collagen deposition (Sirius red  
 staining) and  $\alpha$ SMA staining of activated HSC at these time points in  
 comparison with saline-treated rats. We therefore conclude that delivery  
 of a PDGF-kinase inhibitor to HSC is a promising technol. to attenuate  
 liver fibrogenesis.  
 IT 945493-73-2DP, PAP 19, conjugate with human serum albumin  
 RL: PAC (Pharmacological activity); PKT (Pharmacokinetics); SPN (Synthetic  
 preparation); THU (Therapeutic use); BIOL (Biological study); PREP  
 (Preparation); USES (Uses)  
 (local inhibition of liver fibrosis by specific delivery of  
 platelet-derived growth factor kinase inhibitor to hepatic stellate  
 cells)  
 RN 945493-73-2 CAPLUS  
 CN Benzamide, 4-chloro-N-[4-methyl-3-[[5-(3-pyridinyl)-2-  
 pyrimidinyl]amino]phenyl]- (CA INDEX NAME)

10/528,913



RE.CNT 39 THERE ARE 39 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 3 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2007:418588 CAPLUS

DN 147:257793

TI Preparation of the imatinib

IN Kompella, Amala; Srinivas, Rachakonda; Rao, Adibhatla Kali Satya Bhujanga; Nannapaneni, Venkaiah Chowdary

PA Natco Pharma Limited, India

SO Indian Pat. Appl., 33pp.

CODEN: INXXBQ

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	IN 2003MA00462	A	20070209	IN 2003-MA462	20030606
PRAI	IN 2003-MA462		20030606		

OS CASREACT 147:257793

AB A process for the preparation of title compound I was disclosed. For example, N-alkylation of N-methylpiperazine with benzyl chloride II afforded title compound I in 61% yield. Of note, purification via column chromatog. is avoided


at all stages in the preparation of title compound I.

IT 404844-11-7P

RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation of the imatinib)


RN 404844-11-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



L10 ANSWER 4 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2007:150876 CAPLUS  
 DN 146:185242  
 TI Triflusal-containing polymers for stent coating  
 IN San Roman Del Barrio, Julio; Rodriguez-Crespo, Gema; Fernandez-Gutierrez, Mar; Gallardo-Ruiz, Alberto; Duocastella-Codina, Luis; Molina-Crisol, Maria  
 PA J. Uriach Y Compania S.A., Spain  
 SO PCT Int. Appl., 20pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2007014787	A1	20070208	WO 2006-EP9156	20060920
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW				
	RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	EP 1767552	A1	20070328	EP 2005-380204	20050921
	R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, MK, YU				
PRAI	EP 2005-380204	A	20050921		
AB	New triflusal-containing polymeric compds. resulting from the polymerization of 2-(methacryloyloxy)ethyl 2-acetyloxy-4-(trifluoromethyl)benzoate with Bu acrylate are described. These new polymers exhibit good adhesion and crack-bridging properties and are particularly suitable for the coating of stents.				
IT	152459-94-4, CGP-53716 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (triflusal-containing polymers for stent coating)				
RN	152459-94-4 CAPLUS				
CN	Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)				




RE.CNT 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 5 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2006:1337398 CAPLUS  
 DN 146:81891  
 TI Process for preparation of isotopically labeled imatinib and intermediates  
 IN Salter, Rhys; Rodriguez Perez, Maria Ines; Moenius, Thomas; Voges, Rolf;  
 Andres, Hendrik; Bordeaux, Kirk  
 PA Novartis A.-G., Switz.; Novartis Pharma G.m.b.H.  
 SO PCT Int. Appl., 36pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2006133904	A2	20061221	WO 2006-EP5676	20060613
	WO 2006133904	A3	20070322		
	W:				
	AE, AG, AL, AM, AN, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,				
	CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,				
	GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,				
	KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX,				
	MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE,				
	SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,				
	VN, YU, ZA, ZM, ZW				
	RW:				
	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,				
	IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,				
	CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,				
	GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,				
	KG, KZ, MD, RU, TJ, TM				
PRAI	GB 2005-12091	A	20050614		

OS MARPAT 146:81891  
 AB This invention relates to a new process for preparation of isotopically labeled imatinib and intermediates. For example, 4-chloromethyl-N-[4-methyl-3-[4-(1-oxido-3-pyridinyl)-[2-<sup>14</sup>C]-pyrimidin-2-ylamino]phenyl]benzamide hydrochloride (preparation given) was reacted with 1-methylpiperazine in ethanol, followed by the addition of methanesulfonic acid to give methanesulfonate of I [X = <sup>14</sup>C]. Isotopically labeled intermediates were also described.  
 IT 404844-11-7 917358-62-4 917358-64-6  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (preparation of isotopically labeled imatinib and intermediates)  
 RN 404844-11-7 CAPLUS  
 CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 917358-62-4 CAPLUS  
 CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(1-oxido-3-pyridinyl)-2-pyrimidinyl-2-<sup>14</sup>C]amino]phenyl]-, hydrochloride (1:1) (CA INDEX NAME)


10/528,913



● HCl

RN 917358-64-6 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(1-oxido-3-pyridinyl)-2-pyrimidinyl-2- $^{14}\text{C}$ ]amino]phenyl]- (CA INDEX NAME)



L10 ANSWER 6 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2006:1013769 CAPLUS

DN 145:356807

TI Method for preparation of 4-pyridine-3-yl-2-[4-methyl-3-(benzamido)phenylamino]pyrimidine derivatives and application as pharmaceutical compositions

IN Zheng, Shu; Xu, Rongzhen; Chen, Hongxiang

PA Hangzhou New Rayjay Biomed Corporation, Peop. Rep. China

SO Faming Zhuanli Shenqing Gongkai Shuomingshu, 19pp.

CODEN: CNXXEV

DT Patent

LA Chinese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	CN 1706840	A	20051214	CN 2004-10009181	20040607
PRAI	CN 2004-10009181		20040607		

OS CASREACT 145:356807; MARPAT 145:356807

AB The title derivs. have the general formula I (R1 to R7 = H, C1-4 alkyl, lower alkyl substituted by -OH, -COR8, -CN, or -CONH2; R8 = C1-C4 alkyl, cycloalkyl, or cycloalkyl substituted by OH; and X = C1-C4 alkylene, -NHCO-, or -OCO-). Their preparation method comprises reacting 4-chloromethylbenzoyl chloride with 2-(5-aminophenylamino)-4-pyridine-3-yl-pyrimidine derivative to obtain N-[3-(4-pyridine-3-yl-pyrimidin-2-amino)phenyl]-4-chloromethylbenzamide derivative, then reacting with piperazine to generate title derivative hydrochloride, further reacting with methanesulfonic acid to obtain the final product. The claimed compds. can be used for treating leukemia and tumor, which have remarkable inhibiting effect on the growth of leukocyte in peripheral blood of leukemia patients. The claimed compds. can constitute compns. with pharmaceutically-acceptable adjuvants, and effective amount of one or more other known antileukemia or antitumor medicines for treating leukemia and tumor to reach synergistic effect.


IT 404844-11-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)


(preparation of pyridinyl[methyl(benzamido)phenylamino]pyrimidine derivs. and application for treating leukemia)

RN 404844-11-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



L10 ANSWER 7 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2006:735123 CAPLUS  
 DN 146:223251  
 TI A General Strategy for Creating "Inactive-Conformation" Abl Inhibitors  
 AU Okram, Barun; Nagle, Advait; Adrian, Francisco J.; Lee, Christian; Ren, Pingda; Wang, Xia; Sim, Taebo; Xie, Yongping; Wang, Xing; Xia, Gang; Spraggon, Glen; Warmuth, Markus; Liu, Yi; Gray, Nathanael S.  
 CS Department of Chemistry and the Skaggs Institute for Chemical Biology, The Scripps Research Institute, La Jolla, CA, 92037, USA  
 SO Chemistry & Biology (Cambridge, MA, United States) (2006), 13(7), 779-786  
 CODEN: CBOLE2; ISSN: 1074-5521  
 PB Cell Press  
 DT Journal  
 LA English  
 AB Summary: Kinase inhibitors that bind to the ATP cleft can be broadly classified into two groups: Those that bind exclusively to the ATP site with the kinase assuming a conformation otherwise conducive to phosphotransfer (type I), and those that exploit a hydrophobic site immediately adjacent to the ATP pocket made accessible by a conformational rearrangement of the activation loop (type II). To date, all type II inhibitors were discovered by using structure-activity-guided optimization strategies. Here, we describe a general pharmacophore model of type II inhibition that enables a rational "hybrid-design" approach whereby a 3-trifluoromethylbenzamide functionality is appended to four distinct type I scaffolds in order to convert them into their corresponding type II counterparts. We demonstrate that the designed compds. function as type II inhibitors by using biochem. and cellular kinase assays and by cocrystallog. with Abl.  
 IT 879507-24-1P  
 RL: BSU (Biological study, unclassified); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)  
 (preparation and inhibition of Abl, tyrosine and serine/threonine kinases by inactive-conformation Abl inhibitors)  
 RN 879507-24-1 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)



RE.CNT 43 THERE ARE 43 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 8 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2006:656689 CAPLUS  
 DN 145:103728  
 TI A process for preparation of imatinib base  
 IN Szczepiek, Wojciech; Luniewski, Wojciech; Kaczmarek, Lukasz; Zagrodzki, Bogdan; Samson-Lazinska, Dorota; Szelejewski, Wieslaw; Skarzynski, Maciej  
 PA Instytut Farmaceutyczny, Pol.  
 SO PCT Int. Appl., 37 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2006071130	A2	20060706	WO 2005-PL88	20051230
	WO 2006071130	A3	20060928		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	EP 1833815	A2	20070919	EP 2005-822030	20051230
	R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, MK, YU			
PRAI	PL 2004-372016	A	20041230		
	PL 2005-376691	A	20050819		
	PL 2005-377984	A	20051108		
	WO 2005-PL88	W	20051230		

OS CASREACT 145:103728

AB The invention provides an improved process for preparation of imatinib base and its pharmaceutically-acceptable acid addition salts [imatinib is 4-[(4-methyl-1-piperazinyl)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]benzamide]. The process involves reduction of N-(5-nitro-2-methylphenyl)-4-(3-pyridinyl)-2-pyrimidinamine (I) using hydrazine in the presence of Raney nickel, followed by condensation with 4-(chloromethyl)benzoyl chloride and then N-methylpiperazine. Compound I was obtained by reaction of 1-(2-methyl-5-nitrophenyl)guanidine nitrate (prepared from 2-methyl-5-nitroaniline and cyanamide) with 3-(dimethylamino)-1-(3-pyridinyl)prop-2-en-1-one (prepared from 3-acetylpyridine and DMF di-Me acetal).

IT 404844-11-7P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(process for preparation of imatinib base)

RN 404844-11-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)

10/528,913



L10 ANSWER 9 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2006:333442 CAPLUS  
 DN 144:370121  
 TI Preparation of pyrimidine derivatives as phosphatase and kinase inhibitors  
 for treating a variety of diseases  
 IN Klebl, Bert; Baumann, Matthias; Hoppe, Edmund; Brehmer, Dirk; Daub,  
 Henrik; Keri, Gyoergy; Varga, Zoltan; Marosfalvi, Jenoe; Oerfi, Laszlo  
 PA GPC Biotech A.-G., Germany  
 SO PCT Int. Appl., 100 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2006021458	A2	20060302	WO 2005-EP9291	20050829
	WO 2006021458	A3	20070412		
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,				
	CN, CO, CR, CU, CX, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,				
	GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ,				
	LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA,				
	NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK,				
	SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU,				
	ZA, ZM, ZW				
	RW:				
	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,				
	IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,				
	CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,				
	GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,				
	KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA				
	CA 2578122	A1	20060302	CA 2005-2578122	20050829
	EP 1786781	A2	20070523	EP 2005-785583	20050829
	R:				
	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,				
	IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL,				
	BA, HR, MK, YU				
PRAI	US 2004-604685P	P	20040827		
	WO 2005-EP9291	W	20050829		

OS MARPAT 144:370121

AB The present invention relates to pyrimidine derivs. of general formula I (wherein R and R\* = CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, R', R<sup>17</sup>; R' = H, F, Cl, CN, OCF<sub>3</sub>, NH<sub>2</sub>, SH, etc.; R<sup>17</sup> = H, R', CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, CH=CH<sub>2</sub>, etc.; Z = NH-CO-R<sub>5</sub>, CO-NH-R<sub>5</sub>, NH-CS-R<sub>5</sub>, etc. or a substituted ring or ring system; R<sub>5</sub> = H, R<sub>4</sub>, CH<sub>2</sub>R<sub>3</sub>, etc. or a substituted ring, e.g., Ph, naphthyl; R<sub>3</sub>, R<sub>4</sub> = H, OH, SH, heterocyclic ring, etc.; X = a substituted ring or ring system), methods for their synthesis, and the use of said pyrimidine derivs. as pharmaceutically active agents, especially for the prophylaxis and/or treatment of cell proliferation disorders, cancer, leukemia, erectile dysfunction, cardiovascular diseases and disorders, inflammatory diseases, transplant rejection, immunol. diseases, neuroimmunol. diseases, autoimmune diseases, infective diseases including opportunistic infections, prion diseases and/or neuro-degeneration. I are inhibitors of phosphatase and kinase, specifically selected from Abl, Akt, c-kit, EGF-R, GSK3b, JNK, Lck, PDGF-R, PknG, and ROCK2. Furthermore, the present invention relates to pharmaceutical compns. containing at least one pyrimidine derivative and/or pharmaceutically acceptable salts thereof as an active ingredient together with at least one pharmaceutically acceptable carrier, excipient or diluents as well as to methods for prophylaxis and/or treatment of the above-mentioned diseases and disorders. For example, II was prepared from the appropriate amine and appropriate benzoyl chloride. G315The I that were tested were able to inhibit the amount of pathogenic prion protein PrP<sup>Sc</sup> in infected cells at concentration between 5 and 20 µM. A method for

detecting prion infections and/or prion diseases in a sample is also claimed, the method comprises administering I to a sample and detecting activity in said sample of the human cellular protein kinase Abl.

IT 152459-76-2P, 4-Chloro-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 152459-86-4P, 2-Methoxy-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 152459-88-6P, 4-Cyano-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 152459-91-1P, 4-Methyl-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 152459-92-2P, 4-Chloro-N-[3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 152459-94-4P, N-[4-Methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 152459-96-6P, 4-Methyl-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 152459-98-8P, 4-Chloro-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 152459-99-9P\*  
 \*\* , 2-Methoxy-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide \*\*\*404844-11-7P, 4-Chloromethyl-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-06-5P, 4-Chloromethyl-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-08-7P, 3,4,5-Trimethoxy-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-09-8P, 4-Methoxy-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-12-3P, 3,5-Dimethoxy-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-13-4P, 3,4,5-Trimethoxy-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-14-5P, 4-Cyano-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-15-6P, 4-Methoxy-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-18-9P, 3,5-Dimethoxy-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-19-0P, N-[4-Methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]-4-trifluoromethoxybenzamide 475587-25-8P, 3,4,5-Trimethoxy-N-[4-methyl-3-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-26-9P, 4-Cyano-N-[4-methyl-3-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-27-0P, 4-Chloro-N-[4-methyl-3-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-29-2P, 4-Cyano-N-[4-methyl-3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-31-6P, 4-Methoxy-N-[4-methyl-3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-32-7P, 4-Chloro-N-[4-methyl-3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-34-9P, 3,5-Dimethoxy-N-[3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-38-3P, N-[4-Methyl-3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]-4-trifluoromethoxybenzamide 475587-40-7P, 4-Methoxy-N-[3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-41-8P, 4-Cyano-N-[3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-42-9P, 3,4,5-Trimethoxy-N-[3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-43-0P, 3,5-Dimethoxy-N-[4-methyl-3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-44-1P, 3,4,5-Trimethoxy-N-[4-methyl-3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-46-3P, 4-Methoxy-N-[4-methyl-3-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-47-4P, 3,5-Dimethoxy-N-[4-methyl-3-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-48-5P, N-[3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-49-6P, 4-Chloro-N-[3-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-50-9P, 4-Methoxy-N-[3-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-57-6P, 4-Cyano-N-[3-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-58-7P, 3,5-Dimethoxy-N-[3-[[4-


(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-59-8P  
 , 4-Bromo-N-[3-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 475587-60-1P, 4-Methyl-N-[3-[[4-(pyridin-2-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 475587-62-3P, 3,5-Dichloro-N-[3-[[4-  
 (pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-63-4P  
 , N-[3-[[4-(Pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 475587-64-5P, 4-Chloromethyl-N-[3-[[4-(pyridin-2-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 475587-72-5P, 2-Methoxy-N-[3-[[4-  
 (pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 475587-73-6P  
 , N-[3-[[4-(Pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]-4-  
 trifluoromethoxybenzamide 475587-74-7P, 4-Methyl-N-[3-[[4-  
 (pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-70-0P  
 , 4-Chloromethyl-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881673-97-8P, N-[4-[[4-(Pyridin-3-  
 yl)pyrimidin-2-yl]amino]phenyl]benzamide 881674-08-4P,  
 4-Cyano-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 881674-14-2P, 3,4,5-Trimethoxy-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881674-18-6P, 2-Methoxy-N-[4-[[4-  
 (pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 881674-19-7P  
 , 4-Methyl-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 881674-23-3P, 4-Cyano-N-[4-[[4-(pyridin-4-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881674-24-4P, 4-Chloromethyl-N-[4-[[4-  
 (pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 881674-26-6P  
 , 4-[(4-Methylpiperazin-1-yl)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881674-28-8P, 4-Chloro-N-[4-[[4-  
 (pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 881674-32-4P  
 , 3,4,5-Trimethoxy-N-[4-[[4-(pyridin-2-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881674-34-6P, N-[4-[[4-(Pyridin-2-  
 yl)pyrimidin-2-yl]amino]phenyl]-4-trifluoromethoxybenzamide  
 881674-36-8P, 4-Chloro-N-[4-[[4-(pyridin-2-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881674-38-0P, 2-Methoxy-N-[4-[[4-  
 (pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 881674-40-4P  
 , 4-Methyl-N-[4-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 881674-44-8P, N-[4-[[4-(Pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]-  
 4-trifluoromethoxybenzamide 881674-49-3P, N-[4-[[4-(Pyridin-4-  
 yl)pyrimidin-2-yl]amino]phenyl]benzamide 881674-53-9P,  
 4-Methoxy-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 881674-55-1P, 3,5-Dimethoxy-N-[4-[[4-(pyridin-2-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881674-57-3P, 3,5-Dimethoxy-N-[4-[[4-  
 (pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 881675-55-4P  
 , 4-[(4-Methylpiperazin-1-yl)methyl]-N-[4-[[4-(pyridin-2-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881675-87-2P, 3,4,5-Trimethoxy-N-[4-  
 [[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 881675-89-4P, 2-Methoxy-N-[4-[[4-(pyridin-4-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881675-95-2P, 4-Chloro-N-[4-[[4-  
 (pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 881676-03-5P  
 , 4-Bromo-N-[4-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 881676-05-7P, 2,3,4,5,6-Pentafluoro-N-[4-[[4-(pyridin-4-  
 yl)pyrimidin-2-yl]amino]phenyl]benzamide 881676-31-9P,  
 2-Methoxy-N-[4-methyl-3-[[4-(pyridin-4-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881676-36-4P, N-[4-Methyl-3-[[4-  
 (pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide 881676-40-0P  
 , 4-Methyl-N-[4-methyl-3-[[4-(pyridin-4-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881677-01-6P, 4-[(4-Methylpiperazin-1-  
 yl)methyl]-N-[4-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 881677-31-2P, 4-Bromo-N-[4-methyl-3-[[4-(pyridin-2-yl)pyrimidin-2-  
 yl]amino]phenyl]benzamide 881677-35-6P, 4-Methyl-N-[4-methyl-3-  
 [[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 881677-39-0P, 4-Chloromethyl-N-[4-methyl-3-[[4-(pyridin-2-  
 yl)pyrimidin-2-yl]amino]phenyl]benzamide 881677-41-4P,

2-Methoxy-N-[4-methyl-3-[[4-(pyridin-2-yl)pyrimidin-2-yl]amino]phenyl]benzamide 881677-56-1P, 4-Chloromethyl-N-[3-[[4-(pyridin-4-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of pyrimidine derivs. as phosphatase and kinase inhibitors for treating a variety of diseases)


RN 152459-76-2 CAPLUS

CN Benzamide, 4-chloro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-86-4 CAPLUS

CN Benzamide, 2-methoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-88-6 CAPLUS

CN Benzamide, 4-cyano-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-91-1 CAPLUS


CN Benzamide, 4-methyl-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-92-2 CAPLUS  
 CN Benzamide, 4-chloro-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)




RN 152459-94-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (CA INDEX NAME)




RN 152459-96-6 CAPLUS  
 CN Benzamide, 4-methyl-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 152459-98-8 CAPLUS  
 CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-99-9 CAPLUS  
 CN Benzamide, 2-methoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 404844-11-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 475587-06-5 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-08-7 CAPLUS

CN Benzamide, 3,4,5-trimethoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 475587-09-8 CAPLUS


CN Benzamide, 4-methoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 475587-12-3 CAPLUS


CN Benzamide, 3,5-dimethoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)

pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-13-4 CAPLUS

CN Benzamide, 3,4,5-trimethoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-14-5 CAPLUS

CN Benzamide, 4-cyano-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-15-6 CAPLUS

CN Benzamide, 4-methoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-18-9 CAPLUS

CN Benzamide, 3,5-dimethoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-19-0 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(trifluoromethoxy)- (9CI) (CA INDEX NAME)




RN 475587-25-8 CAPLUS

CN Benzamide, 3,4,5-trimethoxy-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-26-9 CAPLUS

CN Benzamide, 4-cyano-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-27-0 CAPLUS

CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-29-2 CAPLUS

CN Benzamide, 4-cyano-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-31-6 CAPLUS

CN Benzamide, 4-methoxy-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-32-7 CAPLUS

CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-34-9 CAPLUS


CN Benzamide, 3,5-dimethoxy-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-38-3 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(trifluoromethoxy)- (9CI) (CA INDEX NAME)




RN 475587-40-7 CAPLUS  
 CN Benzamide, 4-methoxy-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-41-8 CAPLUS  
 CN Benzamide, 4-cyano-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 475587-42-9 CAPLUS  
 CN Benzamide, 3,4,5-trimethoxy-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-43-0 CAPLUS  
 CN Benzamide, 3,5-dimethoxy-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-44-1 CAPLUS

CN Benzamide, 3,4,5-trimethoxy-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-46-3 CAPLUS

CN Benzamide, 4-methoxy-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-47-4 CAPLUS

CN Benzamide, 3,5-dimethoxy-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-48-5 CAPLUS

CN Benzamide, N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-49-6 CAPLUS

CN Benzamide, 4-chloro-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 475587-50-9 CAPLUS

CN Benzamide, 4-methoxy-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 475587-57-6 CAPLUS

CN Benzamide, 4-cyano-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 475587-58-7 CAPLUS

CN Benzamide, 3,5-dimethoxy-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 475587-59-8 CAPLUS

CN Benzamide, 4-bromo-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 475587-60-1 CAPLUS

CN Benzamide, 4-methyl-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 475587-62-3 CAPLUS

CN Benzamide, 3,5-dichloro-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 475587-63-4 CAPLUS

CN Benzamide, N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA  
INDEX NAME)




RN 475587-64-5 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-72-5 CAPLUS

CN Benzamide, 2-methoxy-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 475587-73-6 CAPLUS

CN Benzamide, N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(trifluoromethoxy)- (9CI) (CA INDEX NAME)




RN 475587-74-7 CAPLUS

CN Benzamide, 4-methyl-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 796738-70-0 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881673-97-8 CAPLUS

CN Benzamide, N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-08-4 CAPLUS

CN Benzamide, 4-cyano-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-14-2 CAPLUS

CN Benzamide, 3,4,5-trimethoxy-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-18-6 CAPLUS

CN Benzamide, 2-methoxy-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-19-7 CAPLUS

CN Benzamide, 4-methyl-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-23-3 CAPLUS

CN Benzamide, 4-cyano-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-24-4 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-26-6 CAPLUS

CN Benzamide, 4-[(4-methyl-1-piperazinyl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-28-8 CAPLUS

CN Benzamide, 4-chloro-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-32-4 CAPLUS

CN Benzamide, 3,4,5-trimethoxy-N-[4-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-34-6 CAPLUS

CN Benzamide, N-[4-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(trifluoromethoxy)- (CA INDEX NAME)




RN 881674-36-8 CAPLUS

CN Benzamide, 4-chloro-N-[4-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-38-0 CAPLUS

CN Benzamide, 2-methoxy-N-[4-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-40-4 CAPLUS


CN Benzamide, 4-methyl-N-[4-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-44-8 CAPLUS  
 CN Benzamide, N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(trifluoromethoxy)- (CA INDEX NAME)




RN 881674-49-3 CAPLUS  
 CN Benzamide, N-[4-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-53-9 CAPLUS  
 CN Benzamide, 4-methoxy-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 881674-55-1 CAPLUS  
 CN Benzamide, 3,5-dimethoxy-N-[4-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881674-57-3 CAPLUS  
 CN Benzamide, 3,5-dimethoxy-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881675-55-4 CAPLUS

CN Benzamide, 4-[(4-methyl-1-piperazinyl)methyl]-N-[4-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881675-87-2 CAPLUS

CN Benzamide, 3,4,5-trimethoxy-N-[4-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881675-89-4 CAPLUS

CN Benzamide, 2-methoxy-N-[4-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881675-95-2 CAPLUS

CN Benzamide, 4-chloro-N-[4-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881676-03-5 CAPLUS

CN Benzamide, 4-bromo-N-[4-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(CA INDEX NAME)




RN 881676-05-7 CAPLUS

CN Benzamide, 2,3,4,5,6-pentafluoro-N-[4-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881676-31-9 CAPLUS

CN Benzamide, 2-methoxy-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881676-36-4 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(CA INDEX NAME)




RN 881676-40-0 CAPLUS

CN Benzamide, 4-methyl-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881677-01-6 CAPLUS

CN Benzamide, 4-[[4-methyl-1-piperazinyl)methyl]-N-[[4-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881677-31-2 CAPLUS

CN Benzamide, 4-bromo-N-[[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881677-35-6 CAPLUS

CN Benzamide, 4-methyl-N-[[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881677-39-0 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 881677-41-4 CAPLUS

CN Benzamide, 2-methoxy-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 881677-56-1 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



L10 ANSWER 10 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2006:235109 CAPLUS  
 DN 144:312102  
 TI Preparation of (phenylamino)pyrimidine derivatives as inhibitors of  
 BCR-ABL kinase for treatment of chronic myeloid leukemia  
 IN Kompella, Amala Kishan; Adibhatla Kali Satya, Bhujanga Rao; Rachakonda,  
 Sreenivas; Podili, Khadgapathi; Venkaiah Chowdary, Nannapaneni  
 PA Natco Pharma Limited, India  
 SO PCT Int. Appl., 85 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2006027795	A1	20060316	WO 2005-IN243	20050719
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
IN 2004CH00908	A	20061103	IN 2004-CH908	20040909
AU 2005281299	A1	20060316	AU 2005-281299	20050719
CA 2591321	A1	20060316	CA 2005-2591321	20050719
EP 1786799	A1	20070523	EP 2005-779775	20050719
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR				
NO 2007001521	A	20070611	NO 2007-1521	20070322
IN 2007CN01426	A	20070831	IN 2007-CN1426	20070409
PRAI IN 2004-CH908	A	20040909		
WO 2005-IN243	W	20050719		

OS CASREACT 144:312102; MARPAT 144:312102

AB The present invention relates to preparation of novel (phenylamino)pyrimidine derivs. I [wherein X = CH or N; n = 1 or 2; R = H or Me; R' = CF<sub>3</sub>] or pharmaceutically acceptable salts thereof as inhibitors of BCR-ABL kinase for the treatment of chronic myeloid leukemia (CML). For example, the compound II was prepared in a multi-step synthesis in good yield. Pharmaceutical composition containing the novel (phenylamino)pyrimidine derivs. and

processes for their prepn were also presented. Since the IC<sub>50</sub> values of these mols. are in the range of 0.1 to 10.0 nm, these novel compds. are potentially useful for the treatment of CML.


IT 879507-24-1P 879507-25-2P 879507-26-3P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of (phenylamino)pyrimidine derivs. as inhibitors of BCR-ABL kinase for treatment of chronic myeloid leukemia)


RN 879507-24-1 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 879507-25-2 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3,5-bis(trifluoromethyl)- (CA INDEX NAME)



RN 879507-26-3 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RE.CNT 6


THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 11 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2006:176834 CAPLUS  
 DN 144:370108  
 TI Preparation and application of phenylamino pyrimidine derivatives  
 IN Chen, Guoqing  
 PA Chen Guoqing, Peop. Rep. China  
 SO Faming Zhuanli Shenqing Gongkai Shuomingshu, 41 pp.  
 CODEN: CNXXEV  
 DT Patent  
 LA Chinese  
 FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	CN 1560050	A	20050105	CN 2004-10014093	20040218
PRAI	CN 2004-10014093		20040218		
OS	MARPAT 144:370108				
AB	The invention relates to a phenylamino pyrimidine derivative, its preparing process, medicines adopting it as active component, a method of curing the diseases relative to tyrosine kinase, especially to Bcr-Abl, like cancers, etc, and the application of its acting as medicine and making tyrosine kinase inhibition medicines to relieve the effect of tyrosine kinase to endotherms like human beings.				
IT	791609-55-7P RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation and application of phenylamino pyrimidine derivs.)				
RN	791609-55-7 CAPLUS				
CN	Benzamide, 4-hydroxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)				




IT 791609-56-8P 791609-58-0P 791609-62-6P  
 791609-63-7P 791609-65-9P 791609-67-1P  
 791609-68-2P 791609-69-3P 791609-71-7P  
 791609-74-0P 791609-75-1P 791609-76-2P  
 791609-79-5P 791609-81-9P 791609-82-0P  
 791609-84-2P 791609-85-3P 882166-62-3P  
 882166-63-4P 882166-64-5P 882166-67-8P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation and application of phenylamino pyrimidine derivs.)  
 RN 791609-56-8 CAPLUS  
 CN Benzamide, 4-(2-aminoethoxy)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 791609-58-0 CAPLUS


CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[(1-methyl-3-pyrrolidinyl)amino]- (CA INDEX NAME)

RN 791609-62-6 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[(1-methyl-2-pyrrolidinyl)methoxy]- (CA INDEX NAME)


RN 791609-63-7 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
(3-pyrrolidinylamino)- (CA INDEX NAME)




RN 791609-65-9 CAPLUS

CN Benzamide, 4-(aminofluoromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-67-1 CAPLUS

CN Benzamide, 4-(aminodifluoromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 791609-68-2 CAPLUS


CN Benzamide, 4-[methyl(1-methyl-3-pyrrolidinyl)amino]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-69-3 CAPLUS


CN Benzamide, 4-[fluoro[(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-  
[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)

PAGE 1-A








RN 791609-71-7 CAPLUS  
 CN Benzamide, 4-[[[2-(dimethylamino)ethyl]amino]fluoromethyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-74-0 CAPLUS  
 CN Benzamide, 4-[[[2-(dimethylamino)ethyl]amino]difluoromethyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 791609-75-1 CAPLUS  
 CN Benzamide, 4-[fluoro[methyl(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-76-2 CAPLUS  
 CN Benzamide, 4-[fluoro(3-pyrrolidinylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




Me

RN 791609-79-5 CAPLUS  
 CN Benzamide, 4-[difluoro[methyl(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)


PAGE 1-A



PAGE 2-A




RN 791609-81-9 CAPLUS  
 CN Benzamide, 4-[difluoro(3-pyrrolidinylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-82-0 CAPLUS  
 CN Benzamide, 4-[[methyl(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-  
 [[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



PAGE 1-A



PAGE 2-A




RN 791609-84-2 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
 [[(1-methyl-3-pyrrolidinyl)amino]methyl]- (CA INDEX NAME)



RN 791609-85-3 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
 [(3-pyrrolidinylamino)methyl]- (CA INDEX NAME)

10/528,913


PAGE 1-A



PAGE 2-A

Me


RN 882166-62-3 CAPLUS  
CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(methyl-3-pyrrolidinylamino)- (CA INDEX NAME)



RN 882166-63-4 CAPLUS

CN Benzamide, 4-[fluoro(methyl-3-pyrrolidinylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)

PAGE 1-A




10/528,913

PAGE 2-A



RN 882166-64-5 CAPLUS  
CN Benzamide, 4-[difluoro(methyl-3-pyrrolidinylamino)methyl]-N-[4-methyl-3-  
[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)

PAGE 1-A




PAGE 2-A



RN 882166-67-8 CAPLUS  
CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[(methyl-3-pyrrolidinylamino)methyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



L10 ANSWER 12 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2005:1068885 CAPLUS

DN 143:338914

TI Metabolism and disposition of imatinib mesylate in healthy volunteers

AU Gschwind, Hans-Peter; Pfaar, Ulrike; Waldmeier, Felix; Zollinger, Markus; Sayer, Claudia; Zbinden, Peter; Hayes, Michael; Pokorny, Rolf; Seiberling, Michael; Ben-Am, Monique; Peng, Bin; Gross, Gerhard

CS Exploratory Development/Drug Metabolism & Pharmacokinetics, Novartis Pharma AG, Basel, Switz.

SO Drug Metabolism and Disposition (2005), 33(10), 1503-1512

CODEN: DMDSAI; ISSN: 0090-9556

PB American Society for Pharmacology and Experimental Therapeutics

DT Journal

LA English

AB Imatinib mesylate (GLEEVEC, GLIVEC, formerly STI571) has demonstrated unprecedented efficacy as first-line therapy for treatment for all phases of chronic myelogenous leukemia and metastatic and unresectable malignant gastrointestinal stromal tumors. Disposition and biotransformation of imatinib were studied in four male healthy volunteers after a single oral dose of 239 mg of <sup>14</sup>C-labeled imatinib mesylate. Biol. fluids were analyzed for total radioactivity, imatinib, and its main metabolite CGP74588. Metabolite patterns were determined by radio-high-performance liquid chromatog. with off-line microplate solid scintillation counting and characterized by liquid chromatog.-mass spectrometry. Imatinib treatment was well tolerated without serious adverse events. Absorption was rapid (t<sub>max</sub> 1-2 h) and complete with imatinib as the major radioactive compound in plasma. Maximum plasma concns. were 0.921±0.095 µg/mL (mean ± S.D., n = 4) for imatinib and 0.115±0.026 µg/mL for the pharmacol. active N-desmethyl metabolite (CGP74588). Mean plasma terminal elimination half-lives were 13.5±0.9 h for imatinib, 20.6±1.7 h for CGP74588, and 57.3±12.5 h for <sup>14</sup>C radioactivity. Imatinib was predominantly cleared through oxidative metabolism. Approx. 65 and 9% of total systemic exposure [AUC<sub>0-24 h</sub> (area under the concentration time curve) of radioactivity] corresponded to imatinib and CGP74588, resp. The remaining proportion corresponded mainly to oxidized derivs. of imatinib and CGP74588. Imatinib and its metabolites were excreted predominantly via the biliary-fecal route. Excretion of radioactivity was slow with a mean radiocarbon recovery of 80% within 7 days (67% in feces, 13% in urine). Approx. 28 and 13% of the dose in the excreta corresponded to imatinib and CGP74588, resp.


IT 865487-51-0

RL: BSU (Biological study, unclassified); BIOL (Biological study)

(metabolism and disposition of imatinib mesylate in healthy volunteers)

RN 865487-51-0 CAPLUS

CN Benzoic acid, 4-[[[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]amino]carbonyl]- (CA INDEX NAME)



RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 13 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2005:982360 CAPLUS  
 DN 143:281777  
 TI Photosensitizer-kinase modulator conjugates for the treatment of protein  
 kinase-dependent diseases  
 IN Bourre, Ludovic  
 PA Fr.  
 SO Fr. Demande, 26 pp.  
 CODEN: FRXXBL  
 DT Patent  
 LA French  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	FR 2867189	A1	20050909	FR 2004-2408	20040308
PRAI	FR 2004-2408		20040308		


AB The invention discloses compds. modulating protein kinase activity, as well as drugs and pharmaceutical compns. for the treatment of diseases dependent on protein kinase activity. The compds. are conjugates of  $\geq 1$  photoactive mols. and  $\geq 1$  protein kinase modulators. The compds. are useful for photochemotherapy. Compound preparation is included.


IT 863994-25-6P  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (photosensitizer-kinase modulator conjugates for treatment of protein kinase-dependent diseases)

RN 863994-25-6 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[7,12,17-tris(4-methylphenyl)-21,22,23,24-tetraazapentacyclo[16.2.1.13,6.18,11.113,16]tetracos-1,3(24),4,6,8,10,12,14,16(22),17,19-undecaen-2-yl]-(9CI) (CA INDEX NAME)

PAGE 1-A







RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 14 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2005:638614 CAPLUS  
 DN 143:149136  
 TI Protection of tissues and cells from cytotoxic effects of ionizing radiation by ABL inhibitors  
 IN Reddy, E. Premkumar; Reddy, M. V. Ramana; Cosenza, Stephen C.; Gumireddy, Kiranmai  
 PA Temple University of the Commonwealth System of Higher Education, USA  
 SO PCT Int. Appl., 151 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005065074	A2	20050721	WO 2004-US28654	20040902
	WO 2005065074	A3	20060223		
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	US 2003-501783P	P	20030909		
OS	MARPAT 143:149136				
AB	Pre-treatment with ABL protein kinase inhibitors protects normal cells from the toxic side effects of ionizing radiation. Administration of one or more radioprotectant to a patient prior to anticancer radiotherapy reduces the cytotoxic side effects of the radiation on normal cells. The radioprotective effect allows for safely increasing the dosage of anticancer radiation. Amelioration of toxicity following inadvertent radiation exposure may also be mitigated.				
IT	152459-77-3 152459-82-0 152459-86-4 152459-87-5 152459-88-6 152459-91-1 152459-94-4 152459-96-6 152459-98-8 152459-99-9 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (ABL protein kinase inhibitors as radioprotectants)				
RN	152459-77-3 CAPLUS				
CN	Benzamide, N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)				




RN 152459-82-0 CAPLUS  
 CN Benzamide, N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]amino]carboxylic acid (9CI) (CA INDEX NAME)




RN 152459-86-4 CAPLUS

CN Benzamide, 2-methoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 152459-87-5 CAPLUS

CN Benzamide, 4-fluoro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 152459-88-6 CAPLUS

CN Benzamide, 4-cyano-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 152459-91-1 CAPLUS

CN Benzamide, 4-methyl-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 152459-94-4 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(CA INDEX NAME)


RN 152459-96-6 CAPLUS

CN Benzamide, 4-methyl-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-98-8 CAPLUS

CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 152459-99-9 CAPLUS

CN Benzamide, 2-methoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



L10 ANSWER 15 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2005:614536 CAPLUS  
 DN 143:115392  
 TI Preparation of conjugated small molecules for diagnostic and therapeutic use  
 IN Grotzfeld, Robert M.; Milanov, Zdravko V.; Patel, Hitesh K.; Lai, Andiliy G.; Mehta, Shamal A.; Lockhart, David J.  
 PA Ambit Biosciences Corp., USA  
 SO U.S. Pat. Appl. Publ., 63 pp.  
 CODEN: USXXCO  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2005153371	A1	20050714	US 2005-31638	20050107
	AU 2005204428	A1	20050728	AU 2005-204428	20050107
	CA 2551495	A1	20050728	CA 2005-2551495	20050107
	WO 2005067644	A2	20050728	WO 2005-US456	20050107
	WO 2005067644	A3	20051013		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	EP 1711825	A2	20061018	EP 2005-705221	20050107
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS			
	JP 2007521338	T	20070802	JP 2006-549423	20050107
PRAI	US 2004-535173P	P	20040107		
	US 2004-557941P	P	20040330		
	WO 2005-US456	W	20050107		


AB Provided herein are linker compds. and conjugates that include the linker compds. In one embodiment, the linker compds. comprise 2 or 3 residues of 6-aminohexanoic acid and optionally 7-10 residues of polyethyleneglycol (PEG). The linker compds. are useful in forming conjugates with one or more components useful in biopharmaceutical or bioanal. applications. In particular, the biopharmaceutically useful compds. are kinase inhibitors. The conjugates described herein have utility in a variety of diagnostic, separation, and therapeutic applications. Thus, I was prepared from SB 202190, PEG-azide and the biotin-linker compound

IT 857892-09-2P  
 RL: DGN (Diagnostic use); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of conjugated biotins for diagnostic and therapeutic use)


RN 857892-09-2 CAPLUS  
 CN 1,4-Benzenedicarboxamide, N-[49-[(3aS,4S,6aR)-hexahydro-2-oxo-1H-thieno[3,4-d]imidazol-4-yl]-31,38,45-trioxo-3,6,9,12,15,18,21,24,27-nonaaxa-30,37,44-triazanonatetracont-1-yl]-N'-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A




PAGE 1-B



PAGE 1-C





L10 ANSWER 16 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2005:612254 CAPLUS  
 DN 143:133396  
 TI Preparation of heterocyclyl moiety-containing amides as BCR-ABL tyrosine kinase inhibitors  
 IN Asaki, Tetsuo; Sugiyama, Yukiteru; Segawa, Jun  
 PA Nippon Shinyaku Co., Ltd., Japan  
 SO PCT Int. Appl., 168 pp.

CODEN: PIXXD2

DT Patent  
 LA Japanese  
 FAN CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2005063709	A1	20050714	WO 2004-JP19553	20041227
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2004309248	A1	20050714	AU 2004-309248	20041227
CA 2551529	A1	20050714	CA 2004-2551529	20041227
EP 1702917	A1	20060920	EP 2004-807908	20041227
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS				
CN 1898208	A	20070117	CN 2004-80039048	20041227
BR 2004018074	A	20070417	BR 2004-18074	20041227
MX 2006PA07237	A	20060818	MX 2006-PA7237	20060622
IN 2006CN02337	A	20070706	IN 2006-CN2337	20060626
PRAI JP 2003-431398	A	20031225		
WO 2004-JP19553	W	20041227		

OS MARPAT 143:133396

AB The title compds. I (R1 represents CH<sub>2</sub>R<sub>11</sub> (R<sub>11</sub> represents a nitrogenous saturated heterocyclic group), etc.; R<sub>2</sub> represents alkyl, halogeno, haloalkyl, etc.; R<sub>3</sub> represents hydrogen, halogeno, alkoxy; Het<sub>1</sub> represents Q<sub>1</sub>, etc.; and Het<sub>2</sub> represents pyrimidinyl, etc.) are prepared. Thus 3-difluoromethyl-4-(4-methylpiperazin-1-ylmethyl)-N-[4-methyl-3-[4-(5-pyrimidinyl)pyrimidin-2-ylamino]phenyl]benzamide was prepared from 4-methyl-3-[4-(5-pyrimidinyl)pyrimidin-2-ylamino]aniline and 3-difluoromethyl-4-(4-methylpiperazin-1-ylmethyl)benzoyl chloride HCl salt. In an assay (for cell proliferation inhibiting activity) using K562 cells, compds. of this invention showed IC<sub>50</sub> values of < 0.00001 µM to 0.001 µM. Formulations are given.


IT 859212-54-7P 859212-55-8P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of heterocyclyl moiety-containing amides as BCR-ABL tyrosine kinase inhibitors)


RN 859212-54-7 CAPLUS

CN Benzamide, 4-[(1-methyl-4-piperidinyl)oxy]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)



RN 859212-55-8 CAPLUS

CN Benzamide, 4-[(1-methyl-4-piperidinylidene)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




IT 641615-11-4P 641615-12-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of heterocyclyl moiety-containing amides as BCR-ABL tyrosine kinase inhibitors)


RN 641615-11-4 CAPLUS

CN Benzamide, 3-bromo-4-[(dimethylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 641615-12-5 CAPLUS

CN Benzamide, 3-bromo-4-[(diethylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RE.CNT 30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD

L10 ANSWER 17 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2005:366660 CAPLUS  
 DN 143:126017  
 TI Engineering 3-alkyltriazenes to block bcr-abl kinase: a novel strategy for the therapy of advanced bcr-abl expressing leukemias  
 AU Katsoulas, Athanasia; Rachid, Zakaria; Brahimi, Fouad; McNamee, James; Jean-Claude, Bertrand J.  
 CS Cancer Drug Research Laboratory, Department of Medicine, Division of Medical Oncology, McGill University Health Center/Royal Victoria Hospital, Montreal, QC, H3A 1A1, Can.  
 SO Leukemia Research (2005), 29(6), 693-700  
 CODEN: LEREDD; ISSN: 0145-2126  
 PB Elsevier B.V.  
 DT Journal  
 LA English  
 AB Recently, within the framework of a new strategy termed "combi-targeting," we designed ZRCM5 to contain a 2-phenylaminopyrimidopyridine moiety targeted to bcr-abl kinase and a triazene tail capable of generating a methyldiazonium species upon hydrolysis. The ability of ZRCM5 to block tyrosine kinase activity was tested in a short 10 min exposure ELISA involving isolated bcr-abl kinase and Western blotting assays. The results showed that: (a) ZRCM5 was hydrolyzed with a half-life of 27 min in cell culture media, (b) it blocked bcr-abl autophosphorylation in promyeloblastic leukemia K562 cells in a dose-dependent manner (IC50 = 14.01 µM) and (c) it induced dose-dependent levels of DNA strand breaks. In contrast, temozolomide (TEM), a clin. DNA damaging triazene capable of generating, like ZRCM5, a methyldiazonium species, could neither block bcr-abl tyrosine kinase activity in isolated enzyme nor in whole cell autophosphorylation assays. In cells expressing varied levels of bcr-abl, ZRCM5 was consistently more potent than TEM. The significant potency of ZRCM5 against the leukemia cells was attributed to its ability to simultaneously to block bcr-abl and related DNA repair activity while inducing significant DNA lesions in bcr-abl expressing leukemia cells. Further studies are ongoing to increase the affinity of ZRCM5 with the purpose of further enhancing its potency in bcr-abl expressing cells.  
 IT 623901-04-2  
 RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (ZRCM5 blocked bcr-abl kinase autophosphorylation, induced DNA strand breaks by dose dependent manner and also induced apoptosis, cytotoxicity in advanced bcr-abl expressing leukemia K562 cells)  
 RN 623901-04-2 CAPLUS  
 CN Benzamide, 4-[3-(hydroxymethyl)-3-methyl-1-triazenyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RE.CNT 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 18 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2004:1124644 CAPLUS  
 DN 142:74589  
 TI 2-Aminopyrimidine derivatives as Raf kinase inhibitors, process for their preparation, and their use, e.g., in the treatment of proliferative diseases such as cancer  
 IN Batt, David Bryant; Ramsey, Timothy Michael; Sabio, Michael Lloyd  
 PA Novartis A.-G., Switz.; Novartis Pharma G.m.b.H.  
 SO PCT Int. Appl., 69 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004110452	A1	20041223	WO 2004-EP6317	20040611
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	AU 2004246800	A1	20041223	AU 2004-246800	20040611
	CA 2529090	A1	20041223	CA 2004-2529090	20040611
	EP 1635835	A1	20060322	EP 2004-739809	20040611
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK			
	CN 1805748	A	20060719	CN 2004-80016328	20040611
	BR 2004011365	A	20060725	BR 2004-11365	20040611
	JP 2006527230	T	20061130	JP 2006-515898	20040611
	US 2006293340	A1	20061228	US 2004-560352	20040611
	MX 2005PA13349	A	20060309	MX 2005-PA13349	20051208
	IN 2005CN03360	A	20070914	IN 2005-CN3360	20051212
PRAI	US 2003-478709P	P	20030613		
	WO 2004-EP6317	W	20040611		

OS MARPAT 142:74589


AB The application discloses compds. that inhibit Raf kinase, having formula I [wherein R1 is an (un)substituted Ph or heteroaryl radical; and R2 is an (un)substituted Ph radical; or an N-oxide or pharmaceutically acceptable salt thereof]. Also disclosed are methods of treating diseases characterized by excessive signaling through the MAP kinase pathway by administering a RAF kinase-inhibiting amount of a compound I. In particular, I are useful for the treatment of proliferative diseases such as cancer. Over 30 compds. I were prepared For instance, amidation of 4-methyl-N3-[4-(pyrazin-2-yl)pyrimidin-2-yl]benzene-1,3-diamine with 3-CF3C6H4CO2H using BOP reagent and DIEA in DMF gave invention compound II. The prepared compds. I inhibited human Raf proteins as follows (IC50): wild-type C-Raf 0-01-0.7  $\mu$ M; wild-type B-Raf 0.04-1.5  $\mu$ M; and mutant B-Raf (V599E) 0.006-1.6  $\mu$ M.

IT 812699-95-9P, N-[3-[[4-(6-Chloropyridin-3-yl)pyrimidin-2-yl]amino]-4-methylphenyl]-3-(trifluoromethyl)benzamide  
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)  
 (drug candidate; preparation of aminopyrimidine derivs. as Raf kinase

inhibitors for treatment of proliferative diseases such as cancer)

RN 812699-95-9 CAPLUS

CN Benzamide, N-[3-[[4-(6-chloro-3-pyridinyl)-2-pyrimidinyl]amino]-4-methylphenyl]-3-(trifluoromethyl)- (CA INDEX NAME)



IT 812699-92-6P, N-[4-Methyl-3-[[4-[6-[[3-(morpholin-4-yl)propyl]amino]pyridin-3-yl]pyrimidin-2-yl]amino]phenyl]-3-(trifluoromethyl)benzamide 812699-93-7P, N-[4-Methyl-3-[[4-[6-(pyridin-4-ylamino)pyridin-3-yl]pyrimidin-2-yl]amino]phenyl]-3-(trifluoromethyl)benzamide 812699-94-8P, 3-(Difluoromethoxy)-N-[3-[[4-[6-[(2-hydroxyethyl)amino]pyridin-3-yl]pyrimidin-2-yl]amino]-4-methylphenyl]benzamide 812699-96-0P, N-[3-[[4-[6-(Dimethylamino)pyridin-3-yl]pyrimidin-2-yl]amino]-4-methylphenyl]-3-(trifluoromethyl)benzamide 812699-97-1P, N-[3-[[4-[6-(2-Methoxyethoxy)pyridin-3-yl]pyrimidin-2-yl]amino]-4-methylphenyl]-3-(trifluoromethyl)benzamide 812699-99-3P, N-[4-Methyl-3-[[4-[6-(4-methylpiperazin-1-yl)pyridin-3-yl]pyrimidin-2-yl]amino]phenyl]-3-(trifluoromethyl)benzamide 812700-01-9P, N-[4-Methyl-3-[[4-[6-(methylamino)pyridin-3-yl]pyrimidin-2-yl]amino]phenyl]-3-(trifluoromethyl)benzamide 812700-03-1P, N-[3-[[4-[6-(Cyclopropylamino)pyridin-3-yl]pyrimidin-2-yl]amino]-4-methylphenyl]-3-(trifluoromethyl)benzamide 812700-05-3P, N-[3-[[4-[6-(Cyclopentylamino)pyridin-3-yl]pyrimidin-2-yl]amino]-4-methylphenyl]-3-(trifluoromethyl)benzamide 812700-07-5P, N-[4-Methyl-3-[[4-[6-(thiomorpholin-4-yl)pyridin-3-yl]pyrimidin-2-yl]amino]phenyl]-3-(trifluoromethyl)benzamide 812700-08-6P, N-[4-Methyl-3-[[4-[6-(morpholin-4-yl)pyridin-3-yl]pyrimidin-2-yl]amino]phenyl]-3-(trifluoromethyl)benzamide 812700-09-7P, N-[3-[[4-(4-Hydroxy-3,4,5,6-tetrahydro[1,2']bipyridinyl-5'-yl)pyrimidin-2-yl]amino]-4-methylphenyl]-3-(trifluoromethyl)benzamide 812700-10-0P, N-[3-[[4-[6-[[3-(Diethylamino)propyl]amino]pyridin-3-yl]pyrimidin-2-yl]amino]-4-methylphenyl]-3-(trifluoromethyl)benzamide 812700-11-1P, N-[4-Methyl-3-[[4-[6-[(pyridin-4-ylmethyl)amino]pyridin-3-yl]pyrimidin-2-yl]amino]phenyl]-3-(trifluoromethyl)benzamide 812700-12-2P, N-[3-[[4-[6-[(2-Methoxyethyl)amino]pyridin-3-yl]pyrimidin-2-yl]amino]-4-methylphenyl]-3-(trifluoromethyl)benzamide 812700-13-3P, N-[3-[[4-[6-[(2-Hydroxypropyl)sulfanyl]pyridin-3-yl]pyrimidin-2-yl]amino]-4-methylphenyl]-3-(trifluoromethyl)benzamide 812700-14-4P, N-[4-Methyl-3-[[4-[6-(pyridin-3-yloxy)pyridin-3-yl]pyrimidin-2-yl]amino]phenyl]-3-(trifluoromethyl)benzamide 812700-15-5P, N-[4-Methyl-3-[[4-[6-[(1-methylpiperidin-4-yl)oxy]pyridin-3-yl]pyrimidin-2-yl]amino]phenyl]-3-(trifluoromethyl)benzamide


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of aminopyrimidine derivs. as Raf kinase inhibitors for treatment of proliferative diseases such as cancer)

RN 812699-92-6 CAPLUS


CN Benzamide, N-[4-methyl-3-[[4-[6-[[3-(4-morpholinyl)propyl]amino]-3-pyridinyl]-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX

NAME)




RN 812699-93-7 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-[6-(4-pyridinylamino)-3-pyridinyl]-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812699-94-8 CAPLUS

CN Benzamide, 3-(difluoromethoxy)-N-[3-[[4-[6-[(2-hydroxyethyl)amino]-3-pyridinyl]-2-pyrimidinyl]amino]-4-methylphenyl]- (CA INDEX NAME)




RN 812699-96-0 CAPLUS

CN Benzamide, N-[3-[[4-[6-(dimethylamino)-3-pyridinyl]-2-pyrimidinyl]amino]-4-methylphenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812699-97-1 CAPLUS

CN Benzamide, N-[3-[[4-[6-(2-methoxyethoxy)-3-pyridinyl]-2-pyrimidinyl]amino]-4-methylphenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812699-99-3 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-01-9 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-[6-(methylamino)-3-pyridinyl]-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-03-1 CAPLUS

CN Benzamide, N-[3-[[4-[6-(cyclopropylamino)-3-pyridinyl]-2-pyrimidinyl]amino]-4-methylphenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-05-3 CAPLUS

CN Benzamide, N-[3-[[4-[6-(cyclopentylamino)-3-pyridinyl]-2-pyrimidinyl]amino]-4-methylphenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-07-5 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-[6-(4-thiomorpholinyl)-3-pyridinyl]-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-08-6 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-[6-(4-morpholinyl)-3-pyridinyl]-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-09-7 CAPLUS

CN Benzamide, N-[3-[[4-[6-(4-hydroxy-1-piperidinyl)-3-pyridinyl]-2-pyrimidinyl]amino]-4-methylphenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-10-0 CAPLUS

CN Benzamide, N-[3-[[4-[6-[[3-(diethylamino)propyl]amino]-3-pyridinyl]-2-pyrimidinyl]amino]-4-methylphenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-11-1 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-[6-[(4-pyridinylmethyl)amino]-3-pyridinyl]-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-12-2 CAPLUS

CN Benzamide, N-[3-[[4-[6-[(2-methoxyethyl)amino]-3-pyridinyl]-2-pyrimidinyl]amino]-4-methylphenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-13-3 CAPLUS

CN Benzamide, N-[3-[[4-[6-[(2-hydroxypropyl)thio]-3-pyridinyl]-2-pyrimidinyl]amino]-4-methylphenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




RN 812700-14-4 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-[6-[(3-pyridinyloxy)-3-pyridinyl]-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)



RN 812700-15-5 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-[6-[(1-methyl-4-piperidinyl)oxy]-3-pyridinyl]-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (CA INDEX NAME)




IT 812700-23-5, N-[3-[[4-(6-Chloropyridin-3-yl)pyrimidin-2-yl]amino]-4-methylphenyl]-3-(difluoromethoxy)benzamide

RL: RCT (Reactant); RACT (Reactant or reagent)

(starting material; preparation of aminopyrimidine derivs. as Raf kinase inhibitors for treatment of proliferative diseases such as cancer)

RN 812700-23-5 CAPLUS

CN Benzamide, N-[3-[[4-(6-chloro-3-pyridinyl)-2-pyrimidinyl]amino]-4-methylphenyl]-3-(difluoromethoxy)- (CA INDEX NAME)



RE.CNT 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 19 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2004:1080884 CAPLUS

DN 142:56339

TI Process for the preparation of the anti-cancer drug imatinib and its analogs via aminolysis of a (chloromethyl)benzamide intermediate

IN Kompella, Amala; Bhujanga Rao, Adibhatla Kali Sathya; Venkaiah Chowdary, Nannapaneni; Srinivas, Rachakonda

PA Natco Pharma Limited, India

SO PCT Int. Appl., 65 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004108699	A1	20041216	WO 2003-IN211	20030606
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2003242988	A1	20050104	AU 2003-242988	20030606
PRAI	WO 2003-IN211	A	20030606		

OS CASREACT 142:56339

AB The invention discloses a process for the manufacture of imatinib [I; X = 4-methylpiperazin-1-yl] and three of its new analogs I [X = morpholin-4-yl, piperidin-1-yl, and imidazol-1-yl] through aminolysis of the intermediate I [X = Cl]. The mesylate (methanesulfonate) salt of imatinib is a popular life-saving drug, used to treat chronic myelogenous leukemia (CML). The other compds. are claimed as protein tyrosine kinase inhibitors (no data). The new process involves fewer steps (7) than the 9 steps in the known process disclosed in EP 0564409 and US 55211584, making the new process simple and cost effective. Yields are fairly high in all steps (65-90%), as compared to 20-50% realized by the prior art process. Reaction times are fairly low (8-10 h) in all steps, as compared to the time (12-25 h) for most of the stages in the prior art process. Obnoxious, foul smelling, and difficult-to-handle reagents are avoided, making the process safe and environmentally safe for com. application. Column chromatog., which is not practical on com. scale, is avoided at all stages. Consequently the process is simple and economical. Thus, 2-amino-4-nitrotoluene in BuOH was treated with HNO<sub>3</sub> and then with aqueous cyanamide, and the mixture was heated at 90-95° for 12 h, to give 61% yield of 2-methyl-5-nitrophenylguanidine nitrate (II) on a 22-kg scale, with simple recovery of pure, unreacted 2-amino-4-nitrotoluene from the mother liquors, also on a multi-kg scale. Cyclization of II with 3-(dimethylamino)-1-(3-pyridyl)-2-propen-1-one in refluxing BuOH in the presence of NaOH for 10 h gave intermediate III quant., with III being isolated in 88% yield on a 21-kg scale. This was followed by reduction of the nitro group of III, using SnCl<sub>2</sub> in concentrated HCl, to give the corresponding amine in 61.5% yield, on a 10-kg scale. The amine was amidated with 4-(ClCH<sub>2</sub>)C<sub>6</sub>H<sub>4</sub>COCl (preparation given) using Et<sub>3</sub>N in CHCl<sub>3</sub>, giving the (chloromethyl)benzamide intermediate I [X = Cl] in 70% yield on a 13.9-kg scale. This compound reacted with N-methylpiperazine in DMF over 4 h at 20-40°, giving imatinib free base after extraction into CHCl<sub>3</sub>, carbon treatment, evaporation, and trituration with EtOAc. Imatinib was obtained in

10/528,913

61% yield, 99.8% purity by HPLC, and on a 9.8-kg scale. The other three products I were obtained almost identically, using different amines in the final step.


IT 404844-11-7P

RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(process intermediate; manufacture of imatinib and analogs via aminolysis of (chloromethyl)benzamide intermediate)


RN 404844-11-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 20 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2004:1067788 CAPLUS  
 DN 142:204407  
 TI Acid-Base Profiling of Imatinib (Gleevec) and Its Fragments  
 AU Szakacs, Zoltan; Beni, Szabolcs; Varga, Zoltan; Oerfi, Laszlo; Keri, Gyoergy; Noszal, Bela  
 CS Department of Inorganic and Analytical Chemistry, Lorand Eotvoes University, Budapest, H-1117, Hung.  
 SO Journal of Medicinal Chemistry (2005), 48(1), 249-255  
 CODEN: JMCMAR; ISSN: 0022-2623  
 PB American Chemical Society  
 DT Journal  
 LA English  
 OS CASREACT 142:204407  
 AB The site-specific basicities of imatinib (I) (Gleevec, a new signal transduction inhibitor drug of chronic myeloid leukemia) and two of its fragment compds. were quantitated in terms of protonation macroconstants, microconstants, and group consts. by NMR-pH and pH-potentiometric titrns. Sequential protonation of imatinib follows the N34, N11, N31, N13 order, in which N11 and N31 show commensurable basicity, but negligible intramol. interaction. Fragment compds. include two "halves" of imatinib, and their moiety-specific basicities confirm the NMR-based protonation sequence of the parent compound NMR-pH profiles, macro- and/or microscopic protonation schemes, and species-specific distribution diagrams are presented. On the basis of these data, imatinib is shown to be predominantly neutral, monocationic, and tricationic at intestinal, blood, and gastric pH, resp. The mol. hypotheses on imatinib binding to the Bcr-Abl oncogene fusion protein are interpreted at the site-specific level in view of the moiety basicities of imatinib.  
 IT 404844-11-7P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (acid-base profiling of imatinib (Gleevec) and its fragments)  
 RN 404844-11-7 CAPLUS  
 CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RE.CNT 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 21 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2004:1060780 CAPLUS  
 DN 142:38275  
 TI Preparation of N-phenyl-2-pyrimidine-amine derivatives as anticancer agents and process for the preparation thereof  
 IN Kim, Dong-Yeon; Kim, Jae-Gun; Cho, Dae-Jin; Lee, Gong-Yeal; Kim, Hong-Youb; Woo, Seok-Hun; Kim, Yong-Seok; Bae, Woo-Chul; Lee, Sun-Ahe; Han, Byoung-Cheol  
 PA Il Yang Pharm. Co., Ltd., S. Korea  
 SO U.S. Pat. Appl. Publ., 21 pp., Cont.-in-part of U.S. Ser. No. 446,446, abandoned.  
 CODEN: USXXCO  
 DT Patent  
 LA English  
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004248918	A1	20041209	US 2004-806834	20040322
PRAI	KR 2003-28669	A	20030506		
	US 2003-446446	B2	20030528		

OS MARPAT 142:38275

AB The title compds. (I) [R1 = 3- or 4-pyridyl; R2, R3 = H, lower alkyl; R6, R7 = Q; wherein X = O, NH; n = 0, 1; R9 = C5-10 9 aliphatic radical, 5- to 7-membered (un)saturated monocyclic radical, or bi- or tricyclic radical optionally combined with benzene ring, each of which has 1 to 3 hetero atoms selected from a group consisting of N, O, and S, piperazinyl or homopiperazinyl each of which is substituted by lower alkyl; R4, R5, R7, R8 = H or one or two thereof each represent halogen, lower alkyl, or lower alkoxy; when R6 is Q, or one or two of R4, R5, R6, and R8 each represent halogen, lower alkyl, or lower alkoxy; when R7 is Q, provided that R6 or R7 represents Q wherein n = 0 and R9 = 4-methylpiperazine, then one or more of R4, R5, R7, and R8, or one or more of R4, R5, R6, and R8 are halogen] or salts thereof are prepared These compds. show a superior effect on lung cancer, gastric cancer, colon cancer, pancreatic cancer, hepatoma, prostatic cancer, breast cancer, chronic or acute leukemia, hematol. malignancy, encephalophyma, bladder cancer, rectal cancer, or cervical cancer of warm-blooded animals. The present invention also relates to a process for preparing the compound I, and to a pharmaceutical composition for

the

treatment of the above various diseases, which comprises an effective amount of the compound as an active ingredient together with pharmaceutically acceptable inert carriers. Thus, 3-dimethylamino-1-(3-pyridyl)-2-propen-1-one was cyclocondensed with 2-methyl-5-nitrophenylguanidine nitrate in the presence of sodium hydroxide in isopropanol under reflux for 18 h to give N-(2-methyl-5-nitrophenyl)-4-(3-pyridyl)-2-pyrimidineamine which was reduced by stannous chloride dihydrate in EtOAc/ethanol under reflux for 4 h to give N-(5-amino-2-methylphenyl)-4-(3-pyridyl)-2-pyrimidineamine (II). II underwent amidation with 4-chloromethylbenzoyl chloride in Et3N in THF under reflux for 4 h to give N-[5-(4-chloromethylbenzoylamino)-2-methylphenyl]-4-(3-pyridyl)-2-pyrimidineamine which was stirred with pyridine for 30 min and then refluxed with N-methylhomopiperazine for 12 h to give 4-(4-methylhomopiperazin-1-ylmethyl)-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide (III). III methanesulfonate and 4-[(4-methylpiperazin-1-ylamino)methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate showed IC50 of 1.20 and <0.10 µg/mL, resp., against the growth of K562 cells.

IT 404844-11-7P, N-[5-[(4-Chloromethylbenzoyl)amino]-2-methylphenyl]-4-(3-pyridyl)-2-pyrimidineamine 475587-06-5P,  
 N-[3-(4-Chloromethylbenzoylamino)phenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-69-7P, N-[5-(4-Chloromethylbenzoylamino)-4-methylphenyl]-4-


(3-pyridyl)-2-pyrimidineamine 796738-70-0P, N-[4-(4-Chloromethylbenzoylamino)phenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-74-4P, N-[4-(4-Chloromethylbenzoylamino)-2-methylphenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-79-9P, N-[5-(4-Chloromethylbenzoylamino)-2-methoxyphenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-84-6P, N-[3-(4-Chloromethylbenzoylamino)-4-fluorophenyl]-4-(3-pyridyl)-2-pyrimidineamine

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(intermediate; preparation of N-phenylpyrimidine-2-amine derivs. as anticancer agents)


RN 404844-11-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 475587-06-5 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 796738-69-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[2-methyl-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-70-0 CAPLUS


CN Benzamide, 4-(chloromethyl)-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-74-4 CAPLUS  
 CN Benzamide, 4-(chloromethyl)-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 796738-79-9 CAPLUS  
 CN Benzamide, 4-(chloromethyl)-N-[4-methoxy-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 796738-84-6 CAPLUS  
 CN Benzamide, 4-(chloromethyl)-N-[2-fluoro-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




IT 796738-23-3P, 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 796738-28-8P, 4-(4-Methylpiperazin-1-ylaminomethyl)-N-[2-methyl-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]aminophenyl]benzamide 796738-30-2P  
 , 4-(4-Methylhomopiperazin-1-ylmethyl)-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-34-6P, 4-(4-Methylpiperazin-1-ylaminomethyl)-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]aminophenyl]benzamide  
 796738-36-8P, 4-(4-Methylhomopiperazin-1-ylmethyl)-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 796738-38-0P, 4-(4-Methylpiperazin-1-ylaminomethyl)-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]aminophenyl]benzamide 796738-42-6P  
 , 4-(4-Methylpiperazin-1-ylaminomethyl)-N-[4-methoxy-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]aminophenyl]benzamide 796738-50-6P,  
 4-(4-Methylpiperazin-1-ylaminomethyl)-N-[2-fluoro-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]aminophenyl]benzamide 796738-52-8P,  
 4-(4-Methylpiperazin-1-ylaminomethyl)-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]aminophenyl]benzamide 804554-76-5P, 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-

yl]amino]phenyl]benzamide methanesulfonate 804554-78-7P,  
 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[2-methyl-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate  
 804554-79-8P, 4-(4-Methylhomopiperazin-1-ylmethyl)-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate  
 804554-81-2P, 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate  
 804554-82-3P, 4-(4-Methylhomopiperazin-1-ylmethyl)-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate  
 804554-83-4P, 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate  
 804554-85-6P, 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[4-methoxy-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate  
 804554-88-9P, 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[2-fluoro-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate  
 804554-89-0P, 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate  
 804554-93-6P, 4-(4-Methylhomopiperazin-1-ylmethyl)-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide acetate  
 804554-95-8P, 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide acetate  
 804554-96-9P, 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide acetate  
 804554-97-0P, 4-(4-Methylhomopiperazin-1-ylmethyl)-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide hydrochloride  
 804554-98-1P, 4-[[4-(4-Methylpiperazin-1-ylamino)methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide hydrochloride  
 804554-99-2P, 4-[(4-Methylpiperazin-1-ylamino)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide hydrochloride  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of N-phenylpyrimidine-2-amine derivs. as anticancer agents)


RN 796738-23-3 CAPLUS

CN Benzamide, 4-[[4-methyl-1-piperazinyl]amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-28-8 CAPLUS

CN Benzamide, 4-[[4-methyl-1-piperazinyl]amino]methyl]-N-[2-methyl-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-30-2 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-34-6 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino]methyl]-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-36-8 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-38-0 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino]methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-42-6 CAPLUS

CN Benzamide, N-[4-methoxy-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-50-6 CAPLUS

CN Benzamide, N-[2-fluoro-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 796738-52-8 CAPLUS

CN Benzamide, 4-[[4-methyl-1-piperazinyl]amino]methyl]-N-[[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 804554-76-5 CAPLUS


CN Benzamide, 4-[[4-methyl-1-piperazinyl]amino]methyl]-N-[[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monomethanesulfonate (9CI) (CA INDEX NAME)

10/528,913

CM 1

CRN 796738-23-3


CMF C29 H32 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 804554-78-7 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[2-methyl-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-28-8


CMF C29 H32 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 804554-79-8 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-30-2


CMF C29 H31 N7 O



CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 804554-81-2 CAPLUS


CN Benzamide, 4-[[[4-methyl-1-piperazinyl]amino]methyl]-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-34-6

CMF C28 H30 N8 O


10/528,913



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 804554-82-3 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-36-8


CMF C30 H33 N7 O



CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 804554-83-4 CAPLUS


10/528,913

CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino]methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-38-0


CMF C29 H32 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 804554-85-6 CAPLUS

CN Benzamide, N-[4-methoxy-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[[4-methyl-1-piperazinyl)amino]methyl]-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-42-6

CMF C29 H32 N8 O2




CM 2

CRN 75-75-2

10/528,913

CMF C H4 O3 S




RN 804554-88-9 CAPLUS

CN Benzamide, N-[2-fluoro-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[4-methyl-1-piperazinyl]amino]methyl]-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-50-6


CMF C28 H29 F N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 804554-89-0 CAPLUS

CN Benzamide, 4-[[4-methyl-1-piperazinyl]amino]methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monomethanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-52-8


CMF C28 H30 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 804554-93-6 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monoacetate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-30-2


CMF C29 H31 N7 O



CM 2

CRN 64-19-7

CMF C2 H4 O2



RN 804554-95-8 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-


10/528,913

pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monoacetate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-23-3


CMF C29 H32 N8 O



CM 2

CRN 64-19-7

CMF C2 H4 O2




RN 804554-96-9 CAPLUS

CN Benzamide, 4-[[4-methyl-1-piperazinyl]amino]methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monoacetate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-52-8


CMF C28 H30 N8 O



CM 2


CRN 64-19-7

CMF C2 H4 O2



RN 804554-97-0 CAPLUS


CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 804554-98-1 CAPLUS

CN Benzamide, 4-[[4-(4-methyl-1-piperazinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 804554-99-2 CAPLUS

CN Benzamide, 4-[[4-(4-methyl-1-piperazinyl)amino]methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

10/528,913



● HCl

L10 ANSWER 22 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2004:996162 CAPLUS  
 DN 141:424205  
 TI New N-phenyl-2-pyrimidine-amine derivatives related to imatinib mesylate,  
 useful as antitumor agents, and process for their preparation  
 IN Kim, Dong-Yeon; Kim, Jae-Gun; Cho, Dae-Jin; Lee, Gong-Yeal; Kim,  
 Hong-Youb; Woo, Seok-Hun; Kim, Yong-Seok; Bae, Woo-chul; Lee, Sun-Ahe;  
 Han, Byoung-Cheol  
 PA Il Yang Pharm. Co. Ltd., S. Korea  
 SO PCT Int. Appl., 55 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004099187	A1	20041118	WO 2004-KR611	20040319
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	KR 2004095155	A	20041112	KR 2004-17594	20040316
PRAI	KR 2003-28669	A	20030506		
OS	MARPAT 141:424205				


AB The invention relates to N-phenyl-2-pyrimidine-amine derivs. and their salts, which show superior action against lung cancer, gastric cancer, colon cancer, pancreatic cancer, hepatoma, prostatic cancer, breast cancer, chronic or acute leukemia, hematol. malignancy, encephalophyma, bladder cancer, rectal cancer, or cervical cancer, etc., in warm-blooded animals. The invention also relates to a process for preparing the compds., and to pharmaceutical compns. for the treatment of cancer, etc., which comprise the compds. as active ingredients, together with pharmaceutically acceptable inert carriers. Specifically claimed are compds. I and salts [wherein: R1 = 3-pyridyl or 4-pyridyl; R2, R3 = (independently) H or lower alkyl; R6 or R7 = -NHCO-p-C6H4-CH2XnR9; X = O or NH; n = 0-1; R9 = C5-10 aliphatic, or 5- to 7-membered (un)saturated monocycle, or a bi- or tricyclic radical optionally combined with a benzene ring, each with 1-3 N/O/S heteroatoms, or (homo)piperazinyl substituted by lower alkyl; 1-2 of R4, R5, R6/R7, and R8 = halo, lower alkyl, or lower alkoxy; others = H; provided that when R6 or R7 = said radical and n = 0 and R9 = 4-methylpiperazinyl, then one or more of R4, R5, R6/R7, and R8 is halo]. For example, 3-acetylpyridine was converted in 3 steps to N-(2-methyl-5-nitrophenyl)-4-(3-pyridyl)-2-pyrimidineamine. This nitro compound was reduced to the amine with SnCl2, and the amine was amidated with 4-(ClCH2)C6H4COCl. The obtained 4-(chloromethyl)benzamide derivative was coupled with 1-amino-4-methylpiperazine to give invention compound II, which was converted to the methanesulfonate salt (III). The latter was more than 5-fold more potent than imatinib mesylate against the human CML cell line K562, and was at least as active against other cell lines. Other compds. I showed different spectra of superiority to imatinib mesylate against the various cancer cell lines. Compound IV (mesylate) had excellent, dose-related therapeutic activity against sarcoma-180 in ICR mice, giving an inhibition ratio of 63.0% at 50 mg/kg i.v. In an oral

pharmacokinetic assay in rats, III roughly matched the performance of imatinib mesylate (Tmax, Cmax, and AUC) at half the dosage. III also showed no acute toxicity toward mice at a dose of 2000 mg/kg orally. IV mesylate had an i.v. LD50 of 75-100 mg/kg in mice, still much safer than cisplatin (11 mg/kg i.v.). Although several compds. I are preferred with respect to protein kinase inhibition (no data), II is particularly preferred. Therefore III and IV mesylate are expected to be new and potent therapeutic agents for the treatment of the aforementioned cancers, in addition to CML.

IT 796738-23-3P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
796738-30-2P, 4-[[[4-Methylhomopiperazin-1-yl)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); PKT (Pharmacokinetics); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)  
(drug candidate; preparation of phenylpyrimidinamine derivs. related to imatinib mesylate as antitumor agents)


RN 796738-23-3 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 796738-30-2 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



IT 796738-24-4P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
methanesulfonate 796738-31-3P, 4-[[[4-Methylhomopiperazin-1-yl)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
methanesulfonate

RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); PKT (Pharmacokinetics); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of phenylpyrimidinamine derivs. related to imatinib mesylate as antitumor agents)


RN 796738-24-4 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-23-3


CMF C29 H32 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-31-3 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-30-2


CMF C29 H31 N7 O




CM 2

CRN 75-75-2


CMF C H4 O3 S




IT 796738-28-8P, 4-[[[4-Methylpiperazin-1-yl)amino)methyl]-N-[2-methyl-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 796738-34-6P, 4-[[[4-Methylpiperazin-1-yl)amino)methyl]-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-36-8P  
 , 4-[[4-Methylhomopiperazin-1-yl)methyl]-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-38-0P,  
 4-[[[4-Methylpiperazin-1-yl)amino)methyl]-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-42-6P,  
 4-[[[4-Methylpiperazin-1-yl)amino)methyl]-N-[4-methoxy-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-50-6P,  
 4-[[[4-Methylpiperazin-1-yl)amino)methyl]-N-[2-fluoro-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-52-8P,  
 4-[[[4-Methylpiperazin-1-yl)amino)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)  
 (drug candidate; preparation of phenylpyrimidinamine derivs. related to imatinib mesylate as antitumor agents)  
 RN 796738-28-8 CAPLUS  
 CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino)methyl]-N-[2-methyl-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 796738-34-6 CAPLUS  
 CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino)methyl]-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-36-8 CAPLUS  
 CN Benzamide, 4-[[[4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-38-0 CAPLUS

CN Benzamide, 4-[[4-methyl-1-piperazinyl]amino]methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-42-6 CAPLUS

CN Benzamide, N-[4-methoxy-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[4-methyl-1-piperazinyl]amino]methyl]- (CA INDEX NAME)




RN 796738-50-6 CAPLUS

CN Benzamide, N-[2-fluoro-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[4-methyl-1-piperazinyl]amino]methyl]- (CA INDEX NAME)



RN 796738-52-8 CAPLUS

CN Benzamide, 4-[[4-methyl-1-piperazinyl]amino]methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



IT 796738-29-9P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[2-methyl-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-35-7P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-37-9P, 4-[[4-Methylhomopiperazin-1-yl)methyl]-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-39-1P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-43-7P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[4-methoxy-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-51-7P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[2-fluoro-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-53-9P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-60-8P, 4-[[4-Methylhomopiperazin-1-yl)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide acetate 796738-62-0P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide acetate 796738-63-1P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide acetate 796738-64-2P, 4-[[4-Methylhomopiperazin-1-yl)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide hydrochloride 796738-65-3P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide hydrochloride 796738-66-4P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide hydrochloride  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (drug candidate; preparation of phenylpyrimidinamine derivs. related to imatinib mesylate as antitumor agents)


RN 796738-29-9 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino]methyl]-N-[2-methyl-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-28-8


CMF C29 H32 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-35-7 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-34-6


CMF C28 H30 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 796738-37-9 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[3-methyl-


10/528,913

4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI)  
(CA INDEX NAME)

CM 1

CRN 796738-36-8


CMF C30 H33 N7 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-39-1 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-38-0

CMF C29 H32 N8 O




CM 2

CRN 75-75-2

10/528,913


CMF C H4 O3 S



RN 796738-43-7 CAPLUS  
CN Benzamide, N-[4-methoxy-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[[4-methyl-1-piperazinyl)amino]methyl]-, methanesulfonate (9CI) (CA  
INDEX NAME)


CM 1

CRN 796738-42-6  
CMF C29 H32 N8 O2



CM 2


CRN 75-75-2  
CMF C H4 O3 S



RN 796738-51-7 CAPLUS  
CN Benzamide, N-[2-fluoro-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[[4-methyl-1-piperazinyl)amino]methyl]-, methanesulfonate (9CI) (CA  
INDEX NAME)

CM 1


CRN 796738-50-6  
CMF C28 H29 F N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-53-9 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino]methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-52-8


CMF C28 H30 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 796738-60-8 CAPLUS


10/528,913

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, acetate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-30-2


CMF C29 H31 N7 O



CM 2

CRN 64-19-7

CMF C2 H4 O2




RN 796738-62-0 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl]amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, acetate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-23-3


CMF C29 H32 N8 O



CM 2

CRN 64-19-7

CMF C2 H4 O2




RN 796738-63-1 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, acetate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-52-8


CMF C28 H30 N8 O



CM 2


CRN 64-19-7

CMF C2 H4 O2



RN 796738-64-2 CAPLUS


CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, hydrochloride (9CI) (CA INDEX NAME)



● x HCl

RN 796738-65-3 CAPLUS


CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, hydrochloride (9CI) (CA INDEX NAME)



●x HCl

RN 796738-66-4 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino]methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, hydrochloride (9CI) (CA INDEX NAME)




●x HCl

IT 404844-11-7P, N-[5-[[4-(Chloromethyl)benzoyl]amino]-2-methylphenyl]-4-(3-pyridyl)-2-pyrimidineamine 475587-06-5P, N-[3-[[4-(Chloromethyl)benzoyl]amino]phenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-69-7P, N-[5-[[4-(Chloromethyl)benzoyl]amino]-4-methylphenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-70-0P, N-[4-[[4-(Chloromethyl)benzoyl]amino]phenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-74-4P, N-[4-[[4-(Chloromethyl)benzoyl]amino]-2-methylphenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-79-9P, N-[5-[[4-(Chloromethyl)benzoyl]amino]-2-methoxyphenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-84-6P, N-[3-[[4-(Chloromethyl)benzoyl]amino]-4-fluorophenyl]-4-(3-pyridyl)-2-pyrimidineamine  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (intermediate; preparation of phenylpyrimidineamine derivs. related to imatinib mesylate as antitumor agents)


RN 404844-11-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 475587-06-5 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 796738-69-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[2-methyl-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-70-0 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 796738-74-4 CAPLUS


CN Benzamide, 4-(chloromethyl)-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



10/528,913


RN 796738-79-9 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methoxy-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 796738-84-6 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[2-fluoro-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 23 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2004:996161 CAPLUS  
 DN 141:424204  
 TI New N-phenyl-2-pyrimidine-amine derivatives related to imatinib mesylate, useful as antitumor agents, and process for the preparation thereof  
 IN Kim, Dong-Yeon; Kim, Jae-Gun; Cho, Dae-Jn; Lee, Gong-Yeal; Kim, Hong-Youb; Woo, Seok-Hun; Bae, Woo-chul; Lee, Sun-Ahe; Han, Byoung-Ceol  
 PA Il Yang Pharm Co., Ltd., S. Korea  
 SO PCT Int. Appl., 55 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004099186	A1	20041118	WO 2003-KR1029	20030526
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2003232650	A1	20041126	AU 2003-232650	20030526
	KR 2004095155	A	20041112	KR 2004-17594	20040316
PRAI	KR 2003-28669	A	20030506		
	WO 2003-KR1029	W	20030526		

OS MARPAT 141:424204

AB The invention relates to N-phenyl-2-pyrimidine-amine derivs. and their salts, which show superior action against tumors, lung cancer, gastric cancer, etc., in warm-blooded animals. The invention also relates to a process for preparing the compds., and to pharmaceutical compns. for the prevention and treatment of cancer, etc., which comprise the compds. as active ingredients. Specifically claimed are compds. I and salts [wherein: R1 = 3-pyridyl or 4-pyridyl; R2, R3 = (independently) H or lower alkyl; R6 or R7 = -NHCO-p-C6H4-CH2XnR9; X = O or NH; n = 0-1; R9 = C5+ aliphatic or heterocycle, or (homo)piperazinyl substituted by lower alkyl; 1-2 of R4, R5, R6/R7, and R8 = halo, lower alkyl, or lower alkoxy; others = H; provided that when R6 or R7 = said radical and n = 0 and R9 = 4-methylpiperazinyl, then one or more of R4, R5, R6/R7, and R8 is halo]. For example, 3-acetylpyridine was converted in 3 steps to N-(2-methyl-5-nitrophenyl)-4-(3-pyridyl)-2-pyrimidineamine. This nitro compound was reduced to the amine with SnCl2, and the amine was amidated with 4-(ClCH2)C6H4COCl. The obtained 4-(chloromethyl)benzamide derivative was coupled with 1-amino-4-methylpiperazine to give invention compound II, which was converted to the methanesulfonate salt (III). The latter was more than 5-fold more potent than imatinib mesylate against the human CML cell line K562, and was at least as active against other cell lines. Other compds. I showed different spectra of superiority to imatinib mesylate against the various cancer cell lines. In an oral pharmacokinetic assay in rats, III roughly matched the performance of imatinib mesylate (Tmax, Cmax, and AUC) at half the dosage. III also showed no acute toxicity toward mice at a dose of 2000 mg/kg orally. Although several compds. I are preferred with respect to protein kinase inhibition (no data), II is particularly preferred.

IT 796738-23-3P, 4-[[[4-Methylpiperazin-1-yl)amino]methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl)amino]phenyl]benzamide


796738-30-2P, 4-[(4-Methylhomopiperazin-1-yl)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide

RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); PKT (Pharmacokinetics); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(drug candidate; preparation of phenylpyrimidinamine derivs. related to imatinib mesylate as antitumor agents)


RN 796738-23-3 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 796738-30-2 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



IT 796738-24-4P, 4-[[[(4-Methylpiperazin-1-yl)amino]methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide

methanesulfonate 796738-31-3P, 4-[(4-Methylhomopiperazin-1-yl)methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate

RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); PKT (Pharmacokinetics); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of phenylpyrimidinamine derivs. related to imatinib mesylate as antitumor agents)


RN 796738-24-4 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-23-3


CMF C29 H32 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-31-3 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-30-2


CMF C29 H31 N7 O



CM 2

CRN 75-75-2

CMF C H4 O3 S



IT 796738-28-8P, 4-[[4-(4-Methylpiperazin-1-yl)amino]methyl]-N-[2-


methyl-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide  
 796738-34-6P, 4-[[[(4-Methylpiperazin-1-yl)amino]methyl]-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-36-8P  
 , 4-[(4-Methylhomopiperazin-1-yl)methyl]-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-38-0P,  
 4-[[[(4-Methylpiperazin-1-yl)amino]methyl]-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-42-6P,  
 4-[[[(4-Methylpiperazin-1-yl)amino]methyl]-N-[4-methoxy-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-50-6P,  
 4-[[[(4-Methylpiperazin-1-yl)amino]methyl]-N-[2-fluoro-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide 796738-52-8P,  
 4-[[[(4-Methylpiperazin-1-yl)amino]methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(drug candidate; preparation of phenylpyrimidinamine derivs. related to imatinib mesylate as antitumor agents)


RN 796738-28-8 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[2-methyl-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-34-6 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-36-8 CAPLUS

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-38-0 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino]methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-42-6 CAPLUS

CN Benzamide, N-[4-methoxy-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[[4-methyl-1-piperazinyl)amino]methyl]- (CA INDEX NAME)




RN 796738-50-6 CAPLUS

CN Benzamide, N-[2-fluoro-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[[4-methyl-1-piperazinyl)amino]methyl]- (CA INDEX NAME)



RN 796738-52-8 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl)amino]methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



IT 796738-29-9P, 4-[[[4-Methylpiperazin-1-yl]amino]methyl]-N-[2-methyl-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-35-7P, 4-[[[4-Methylpiperazin-1-yl]amino]methyl]-N-[3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-37-9P, 4-[[4-Methylhomopiperazin-1-yl]methyl]-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-39-1P, 4-[[[4-Methylpiperazin-1-yl]amino]methyl]-N-[3-methyl-4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-43-7P, 4-[[[4-Methylpiperazin-1-yl]amino]methyl]-N-[4-methoxy-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-51-7P, 4-[[[4-Methylpiperazin-1-yl]amino]methyl]-N-[2-fluoro-5-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-53-9P, 4-[[[4-Methylpiperazin-1-yl]amino]methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 796738-60-8P, 4-[[4-Methylhomopiperazin-1-yl]methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide acetate 796738-62-0P, 4-[[[4-Methylpiperazin-1-yl]amino]methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide acetate 796738-63-1P, 4-[[[4-Methylpiperazin-1-yl]amino]methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide acetate 796738-64-2P, 4-[[4-Methylhomopiperazin-1-yl]methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide hydrochloride 796738-65-3P, 4-[[[4-Methylpiperazin-1-yl]amino]methyl]-N-[4-methyl-3-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide hydrochloride 796738-66-4P, 4-[[[4-Methylpiperazin-1-yl]amino]methyl]-N-[4-[[4-(pyridin-3-yl)pyrimidin-2-yl]amino]phenyl]benzamide hydrochloride  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (drug candidate; preparation of phenylpyrimidinamine derivs. related to imatinib mesylate as antitumor agents)


RN 796738-29-9 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl]amino]methyl]-N-[2-methyl-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-28-8


CMF C29 H32 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-35-7 CAPLUS  
 CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-34-6


CMF C28 H30 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-37-9 CAPLUS  
 CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-36-8

CMF C30 H33 N7 O


10/528,913



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-39-1 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-38-0


CMF C29 H32 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-43-7 CAPLUS

CN Benzamide, N-[4-methoxy-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[[4-methyl-1-piperazinyl]amino]methyl]-, methanesulfonate (9CI) (CA  
INDEX NAME)

CM 1

CRN 796738-42-6


CMF C29 H32 N8 O2



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-51-7 CAPLUS

CN Benzamide, N-[2-fluoro-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[[4-methyl-1-piperazinyl]amino]methyl]-, methanesulfonate (9CI) (CA  
INDEX NAME)

CM 1

CRN 796738-50-6


CMF C28 H29 F N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 796738-53-9 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-52-8


CMF C28 H30 N8 O



CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 796738-60-8 CAPLUS


10/528,913

CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, acetate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-30-2


CMF C29 H31 N7 O



CM 2

CRN 64-19-7

CMF C2 H4 O2




RN 796738-62-0 CAPLUS

CN Benzamide, 4-[[[(4-methyl-1-piperazinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, acetate (9CI) (CA INDEX NAME)

CM 1

CRN 796738-23-3


CMF C29 H32 N8 O



CM 2

CRN 64-19-7


CMF C2 H4 O2



RN 796738-63-1 CAPLUS  
 CN Benzamide, 4-[[[4-methyl-1-piperazinyl]amino]methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, acetate (9CI) (CA INDEX NAME)


CM 1

CRN 796738-52-8  
 CMF C28 H30 N8 O




CM 2

CRN 64-19-7  
 CMF C2 H4 O2




RN 796738-64-2 CAPLUS  
 CN Benzamide, 4-[(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, hydrochloride (9CI) (CA INDEX NAME)



●x HCl

RN 796738-65-3 CAPLUS


CN Benzamide, 4-[[[4-methyl-1-piperazinyl]amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, hydrochloride (9CI) (CA INDEX NAME)



● x HCl

RN 796738-66-4 CAPLUS

CN Benzamide, 4-[[[4-methyl-1-piperazinyl]amino]methyl]-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, hydrochloride (9CI) (CA INDEX NAME)




● x HCl

IT 404844-11-7P, N-[5-[[4-(Chloromethyl)benzoyl]amino]-2-methylphenyl]-4-(3-pyridyl)-2-pyrimidineamine 475587-06-5P, N-[3-[[4-(Chloromethyl)benzoyl]amino]phenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-69-7P, N-[5-[[4-(Chloromethyl)benzoyl]amino]-4-methylphenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-70-0P, N-[4-[[4-(Chloromethyl)benzoyl]amino]phenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-74-4P, N-[4-[[4-(Chloromethyl)benzoyl]amino]-2-methylphenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-79-9P, N-[5-[[4-(Chloromethyl)benzoyl]amino]-2-methoxyphenyl]-4-(3-pyridyl)-2-pyrimidineamine 796738-84-6P, N-[3-[[4-(Chloromethyl)benzoyl]amino]-4-fluorophenyl]-4-(3-pyridyl)-2-pyrimidineamine  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (intermediate; preparation of phenylpyrimidineamine derivs. related to imatinib mesylate as antitumor agents)


RN 404844-11-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 475587-06-5 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 796738-69-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[2-methyl-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-70-0 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 796738-74-4 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




10/528,913

RN 796738-79-9 CAPLUS  
CN Benzamide, 4-(chloromethyl)-N-[4-methoxy-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 796738-84-6 CAPLUS  
CN Benzamide, 4-(chloromethyl)-N-[2-fluoro-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RE.CNT 6      THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 24 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2004:964826 CAPLUS  
 DN 141:410958  
 TI Preparation of 2-phenylaminopyrimidine derivatives as tyrosine kinase inhibitors for treatment of cancers  
 IN Chen, Guoqing P.  
 PA USA  
 SO U.S. Pat. Appl. Publ., 25 pp.  
 CODEN: USXXCO  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004224967	A1	20041111	US 2004-821382	20040409
	US 7232825	B2	20070619		
PRAI	US 2003-466883P	P	20030502		
OS	MARPAT 141:410958				

AB The present invention relates to phenylaminopyrimidine derivs. (I) [X = O, S; Y = a direct bond, O, N, lower alkyl; Z = an aliphatic, cycloaliph., aryl or a heterocyclyl radical; R1 = heterocyclyl; R2 = H, halogen, halo-lower alkyl, lower alkyl, lower alkoxy; R3 = H, lower alkyl; R4 = oxy-lower alkylamino, lower alkoxy-lower alkylamino, oxyheterocyclyl, lower alkyl oxyheterocyclyl, oxy-lower alkylheterocyclyl, lower alkyl oxy-lower alkylheterocyclyl, halo-lower alkylamino, halo-lower alkylheterocyclyl, amino-lower alkylamino, lower alkylamino lower alkylamino, aminoheterocyclyl, lower alkylaminoheterocyclyl, amino-lower alkylheterocyclyl, lower alkylamino-lower alkylheterocyclyl] or pharmaceutically acceptable salts thereof, processes for their preparation, pharmaceutical compns. containing them as active ingredient, methods for the treatment of disease states such as cancers associated with tyrosine kinases, especially Bcr-Abl, to their use as medicaments and to their use in the manufacture

of medicaments for use in the production of inhibition of tyrosine kinase reducing effects in warm-blooded animals such as humans. Thus, Mitsunobu reaction of N-(tert-butoxycarbonyl)aminoethanol and 4-hydroxy-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide in CH<sub>2</sub>Cl<sub>2</sub> at room temperature for 4 h gave 4-[2-(tert-butoxycarbonylamino)ethoxy]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide which was treated with 4 N HCl/dioxane, evaporated, mixed with NaHCO<sub>3</sub>, and extracted with EtOAc

to give 4-(2-aminoethoxy)-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide. No biol. data for the compds. I were given.

IT 623900-99-2P, 4-Nitro-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-55-7P, 4-Hydroxy-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-57-9P, 4-[2-(tert-Butoxycarbonylamino)ethoxy]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-64-8P, N-[4-Methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]-4-(1-benzylpyrrolidin-3-ylamino)benzamide 791609-70-6P, 4-[Fluoro(1-benzylpyrrolidin-3-ylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-83-1P, 4-(Aminomethyl)-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(intermediate; preparation of 2-phenylaminopyrimidine derivs. as tyrosine kinase inhibitors for treatment of cancers)

RN 623900-99-2 CAPLUS


CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-

nitro- (9CI) (CA INDEX NAME)




RN 791609-55-7 CAPLUS

CN Benzamide, 4-hydroxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-57-9 CAPLUS

CN Carbamic acid, [2-[4-[[[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]amino]carbonyl]phenoxy]ethyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



RN 791609-64-8 CAPLUS


CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[[1-(phenylmethyl)-3-pyrrolidinyl]amino]- (CA INDEX NAME)




RN 791609-70-6 CAPLUS

CN Benzamide, 4-[fluoro[[1-(phenylmethyl)-3-pyrrolidinyl]amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)


PAGE 1-A





RN 791609-83-1 CAPLUS

CN Benzamide, 4-(aminomethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




IT 791609-56-8P, 4-(2-Aminoethoxy)-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-58-0P, N-[4-Methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]-4-[(1-methylpyrrolidin-3-yl)amino]benzamide 791609-62-6P, N-[4-Methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]-4-[(1-methylpyrrolidin-2-yl)methoxy]benzamide 791609-63-7P, N-[4-Methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]-4-(pyrrolidin-3-ylamino)benzamide 791609-65-9P, 4-(Aminofluoromethyl)-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-67-1P, 4-(Aminodifluoromethyl)-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-68-2P, 4-[Methyl(1-methylpyrrolidin-3-yl)amino]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-69-3P, 4-[Fluoro[(1-methylpyrrolidin-3-yl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-71-7P, 4-[[[2-(Dimethylamino)ethyl]amino]fluoromethyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-74-0P, 4-[[[2-(Dimethylamino)ethyl]amino]difluoromethyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-75-1P, 4-[Fluoro[N-methyl(1-methylpyrrolidin-3-yl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-76-2P, 4-[Fluoro(pyrrolidin-3-ylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-79-5P, 4-[Difluoro[methyl(1-methylpyrrolidin-3-yl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-80-8P, 4-[Difluoro(1-methylpyrrolidin-3-ylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-81-9P, 4-[Difluoro(pyrrolidin-3-ylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-82-0P, 4-[[Methyl(1-methylpyrrolidin-3-yl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-84-2P, 4-[[[(1-Methylpyrrolidin-3-yl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-85-3P, 4-[(Pyrrolidin-3-ylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide 791609-87-5P, 4-(2-Aminoethoxy)-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide

methanesulfonate 791609-88-6P, N-[4-Methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]-4-[(1-methylpyrrolidin-3-yl)amino]benzamide methanesulfonate 791609-90-0P, N-[4-Methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]-4-[(1-methylpyrrolidin-2-yl)methoxy]benzamide methanesulfonate 791609-91-1P, N-[4-Methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]-4-(pyrrolidin-3-ylamino)benzamide methanesulfonate 791609-92-2P, 4-(Aminofluoromethyl)-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791609-94-4P, 4-(Aminodifluoromethyl)-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791609-95-5P, 4-[Methyl(1-methylpyrrolidin-3-yl)amino]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791609-97-7P, 4-[Fluoro(1-methylpyrrolidin-3-ylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791609-98-8P, 4-[[[2-(Dimethylamino)ethyl]amino]fluoromethyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791610-01-0P, 4-[[[2-(Dimethylamino)ethyl]amino]difluoromethyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791610-02-1P, 4-[Fluoro[methyl(1-methylpyrrolidin-3-yl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791610-03-2P, 4-[Fluoro(pyrrolidin-3-ylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791610-06-5P, 4-[Difluoro[methyl(1-methylpyrrolidin-3-yl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791610-07-6P, 4-[Difluoro(1-methylpyrrolidin-3-ylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791610-08-7P, 4-[Difluoro(pyrrolidin-3-ylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791610-09-8P, 4-[[Methyl(1-methylpyrrolidin-3-yl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791610-10-1P, 4-[[[1-Methylpyrrolidin-3-yl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate 791610-11-2P, 4-[(Pyrrolidin-3-ylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridyl)pyrimidin-2-yl]amino]phenyl]benzamide methanesulfonate  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of 2-phenylaminopyrimidine derivs. as tyrosine kinase inhibitors for treatment of cancers)


RN 791609-56-8 CAPLUS

CN Benzamide, 4-(2-aminoethoxy)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-58-0 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[(1-methyl-3-pyrrolidinyl)amino]- (CA INDEX NAME)




RN 791609-62-6 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-[(1-methyl-2-pyrrolidinyl)methoxy]- (CA INDEX NAME)




RN 791609-63-7 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(3-pyrrolidinylamino)- (CA INDEX NAME)




RN 791609-65-9 CAPLUS

CN Benzamide, 4-(aminofluoromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-67-1 CAPLUS

CN Benzamide, 4-(aminodifluoromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 791609-68-2 CAPLUS


CN Benzamide, 4-[methyl(1-methyl-3-pyrrolidinyl)amino]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-69-3 CAPLUS


CN Benzamide, 4-[fluoro[(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)

PAGE 1-A








RN 791609-71-7 CAPLUS  
 CN Benzamide, 4-[[[2-(dimethylamino)ethyl]amino]fluoromethyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 791609-74-0 CAPLUS  
 CN Benzamide, 4-[[[2-(dimethylamino)ethyl]amino]difluoromethyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-75-1 CAPLUS  
 CN Benzamide, 4-[fluoro[methyl(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)





RN 791609-76-2 CAPLUS

CN Benzamide, 4-[fluoro(3-pyrrolidinylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)





Me

RN 791609-79-5 CAPLUS  
 CN Benzamide, 4-[difluoro[methyl(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 791609-80-8 CAPLUS  
 CN Benzamide, 4-[difluoro[(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RN 791609-81-9 CAPLUS


CN Benzamide, 4-[difluoro(3-pyrrolidinylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




Me

RN 791609-82-0 CAPLUS  
 CN Benzamide, 4-[[methyl(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-  
 . [[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



PAGE 1-A




PAGE 2-A



RN 791609-84-2 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
 [[(1-methyl-3-pyrrolidinyl)amino]methyl]- (CA INDEX NAME)




RN 791609-85-3 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
 [(3-pyrrolidinylamino)methyl]- (CA INDEX NAME)



RN 791609-87-5 CAPLUS  
 CN Benzamide, 4-(2-aminoethoxy)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1


CRN 791609-56-8  
 CMF C25 H24 N6 O2



CM 2

CRN 75-75-2  
 CMF C H4 O3 S


10/528,913



RN 791609-88-6 CAPLUS  
CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[(1-methyl-3-pyrrolidinyl)amino]-, methanesulfonate (9CI) (CA INDEX NAME)


CM 1

CRN 791609-58-0  
CMF C28 H29 N7 O



CM 2

CRN 75-75-2  
CMF C H4 O3 S



RN 791609-90-0 CAPLUS  
CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[(1-methyl-2-pyrrolidinyl)methoxy]-, methanesulfonate (9CI) (CA INDEX


10/528,913

NAME)

CM 1

CRN 791609-62-6


CMF C29 H30 N6 O2



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 791609-91-1 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(3-pyrrolidinylamino)-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 791609-63-7


CMF C27 H27 N7 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 791609-92-2 CAPLUS

CN Benzamide, 4-(aminofluoromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1


CRN 791609-65-9

CMF C24 H21 F N6 O



CM 2


CRN 75-75-2  
CMF C H4 O3 S



RN 791609-94-4 CAPLUS  
CN Benzamide, 4-(aminodifluoromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)


CM 1

CRN 791609-67-1  
CMF C24 H20 F2 N6 O



CM 2


CRN 75-75-2  
CMF C H4 O3 S



RN 791609-95-5 CAPLUS  
CN Benzamide, 4-[methyl(1-methyl-3-pyrrolidinyl)amino]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1


CRN 791609-68-2  
CMF C29 H31 N7 O



CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 791609-97-7 CAPLUS


CN Benzamide, 4-[fluoro[(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-  
 [[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI)  
 (CA INDEX NAME)

CM 1


CRN 791609-69-3

CMF C29 H30 F N7 O

PAGE 1-A




PAGE 2-A



CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 791609-98-8 CAPLUS


CN Benzamide, 4-[[[2-(dimethylamino)ethyl]amino]fluoromethyl]-N-[4-methyl-3-  
[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI)  
(CA INDEX NAME)

10/528,913

CM 1

CRN 791609-71-7


CMF C28 H30 F N7 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 791610-01-0 CAPLUS

CN Benzamide, 4-[[[2-(dimethylamino)ethyl]amino]difluoromethyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI)  
(CA INDEX NAME)

CM 1

CRN 791609-74-0


CMF C28 H29 F2 N7 O



CM 2

CRN 75-75-2

CMF C H4 O3 S




RN 791610-02-1 CAPLUS  
 CN Benzamide, 4-[fluoro[methyl(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1


CRN 791609-75-1

CMF C30 H32 F N7 O

PAGE 1-A



PAGE 2-A




10/528,913

CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 791610-03-2 CAPLUS


CN Benzamide, 4-[fluoro(3-pyrrolidinylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 791609-76-2

CMF C28 H28 F N7 O

PAGE 1-A



PAGE 2-A


Me

10/528,913

CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 791610-06-5 CAPLUS


CN Benzamide, 4-[difluoro[methyl(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)


CM 1

CRN 791609-79-5

CMF C30 H31 F2 N7 O

PAGE 1-A






CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 791610-07-6 CAPLUS


CN Benzamide, 4-[difluoro[(1-methyl-3-pyrrolidinyl)amino]methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI)  
(CA INDEX NAME)

CM 1


CRN 791609-80-8

CMF C29 H29 F2 N7 O

PAGE 1-A




PAGE 2-A



CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 791610-08-7 CAPLUS

CN Benzamide, 4-[difluoro(3-pyrrolidinylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)


10/528,913

CM 1

CRN 791609-81-9

CMF C28 H27 F2 N7 O

PAGE 1-A




PAGE 2-A

Me

CM 2

CRN 75-75-2

CMF C H4 O3 S



RN 791610-09-8 CAPLUS


CN Benzamide, 4-[[methyl(1-methyl-3-pyrrolidinyl)amino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (9CI)  
(CA INDEX NAME)

10/528,913


CM 1

CRN 791609-82-0  
CMF C30 H33 N7 O

PAGE 1-A




PAGE 2-A



CM 2

CRN 75-75-2  
CMF C H4 O3 S




10/528,913

RN 791610-10-1 CAPLUS  
CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[[ (1-methyl-3-pyrrolidinyl)amino]methyl]-, methanesulfonate (9CI) (CA  
INDEX NAME)


CM 1

CRN 791609-84-2  
CMF C29 H31 N7 O

PAGE 1-A




PAGE 2-A



CM 2

CRN 75-75-2  
CMF C H4 O3 S

10/528,913




RN 791610-11-2 CAPLUS  
CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
[(3-pyrrolidinylamino)methyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 791609-85-3  
CMF C28 H29 N7 O

PAGE 1-A




PAGE 2-A

Me

CM 2

CRN 75-75-2  
CMF C H4 O3 S


10/528,913



RE.CNT 5

THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 25 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
AN 2004:954402 CAPLUS  
DN 142:147823  
TI Efficient optimization strategy for marginal hits active against abl  
tyrosine kinases  
AU Tkachenko, Sergey E.; Okun, Ilya; Balakin, Konstantin V.; Petersen,  
Charles E.; Ivanenkov, Yan A.; Savchuk, Nikolay P.; Ivashchenko, Andrey A.  
CS Chemical Diversity Labs, Inc., San Diego, CA, 92121, USA  
SO Current Drug Discovery Technologies (2004), 1(3), 201-210  
CODEN: CDDTAF; ISSN: 1570-1638  
PB Bentham Science Publishers Ltd.  
DT Journal  
LA English  
AB Primary high-throughput screening of com. available small mols.  
collections often results in hit compds. with unfavorable ADME/Tox  
properties and low IP potential. These issues are addressed empirically  
at follow-up lead development and optimization stages. In this work, we  
describe a rational approach to the optimization of hit compds. discovered  
during screening of a kinase focused library against abl tyrosine kinase.  
The optimization strategy involved application of modern chemoinformatics  
techniques, such as automatic bioisosteric transformation of the initial  
hits, efficient solution-phase combinatorial synthesis, and advanced methods  
of knowledge-based libraries design.  
IT 152459-94-4, CGP-53716  
RL: BSU (Biological study, unclassified); BIOL (Biological study)  
(efficient optimization strategy for marginal hits active against abl  
tyrosine kinases)  
RN 152459-94-4 CAPLUS  
CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(CA INDEX NAME)




RE.CNT 34 THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 26 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2004:533970 CAPLUS  
 DN 141:65088  
 TI Methods and compositions for the prevention or treatment of neoplasia comprising a COX-2 inhibitor in combination with an epidermal growth factor receptor antagonist  
 IN Masferrer, Jaime  
 PA Pharmacia Corporation, USA  
 SO U.S. Pat. Appl. Publ., 103 pp., Cont.-in-part of U.S. Ser. No. 470,951. CODEN: USXXCO  
 DT Patent  
 LA English  
 FAN.CNT 21

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004127470	A1	20040701	US 2003-651916	20030829
	EP 1522313	A1	20050413	EP 2004-26577	19991222
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, RO, CY				
	WO 2005037259	A2	20050428	WO 2004-US27574	20040825
	WO 2005037259	A3	20050804		
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2004210578	A1	20041007	AU 2004-210578	20040910
PRAI	US 1998-113786P	P	19981223		
	US 1999-470951	B2	19991222		
	US 1999-385214	A	19990827		
	AU 2000-25936	A3	19991222		
	EP 1999-968939	A3	19991222		
	US 2003-651916	A	20030829		
AB	The present invention relates to a novel method of preventing and/or treating neoplasia disorders in a subject that is in need of such prevention or treatment by administering to the subject at least one COX-2 inhibitor in combination with an EGF receptor antagonist. Compns., pharmaceutical compns. and kits are also described.				
IT	152459-94-4, CGP-53716				
	RL: BSU (Biological study, unclassified); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)				
	(as EGFR antagonist; COX-2 inhibitor in combination with epidermal growth factor receptor antagonist for prevention or treatment of neoplasia)				
RN	152459-94-4 CAPLUS				
CN	Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(CA INDEX NAME)				

10/528,913



L10 ANSWER 27 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2004:287838 CAPLUS  
 DN 140:321373  
 TI Preparation of novel pyrimidine amides as protein kinase inhibitors  
 IN Manley, Paul William; Breitenstein, Werner; Jacob, Sandra; Furet, Pascal  
 PA Novartis Ag, Switz.; Novartis Pharma GmbH  
 SO PCT Int. Appl., 57 pp.  
 CODEN: PIXXD2

DT Patent  
 LA English

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004029038	A1	20040408	WO 2003-EP10724	20030926
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LT, LU, LV, MA, MD, MK, MN, MX, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SY, TJ, TM, TN, TR, TT, UA, US, UZ, VC, VN, YU, ZA, ZW				
RW: AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR				
CA 2499822	A1	20040408	CA 2003-2499822	20030926
AU 2003270277	A1	20040419	AU 2003-270277	20030926
AU 2003270277	B2	20070823		
EP 1546127	A1	20050629	EP 2003-750639	20030926
EP 1546127	B1	20070808		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003014797	A	20050726	BR 2003-14797	20030926
CN 1684951	A	20051019	CN 2003-823213	20030926
JP 2006508064	T	20060309	JP 2004-539039	20030926
AT 369355	T	20070815	AT 2003-750639	20030926
ZA 2005002304	A	20060426	ZA 2005-2304	20050318
MX 2005PA03253	A	20050608	MX 2005-PA3253	20050323
IN 2005CN00464	A	20070406	IN 2005-CN464	20050323
NO 2005001966	A	20050422	NO 2005-1966	20050422
US 2006142577	A1	20060629	US 2006-528913	20060105
PRAI GB 2002-22514	A	20020927		
WO 2003-EP10724	W	20030926		

OS MARPAT 140:321373

AB The title substituted N-(3-benzoylamino-phenyl)-4-pyridyl-2-pyrimidinamines [I; R1 = H and R2 = NR5R6, or R1 = NR5R6 and R2 = H; R3 = alkyl, fluoroalkyl, hydroxyalkyl, carbamoyl; R4 = H, alkyl, halo; R5 and R6 = H, alkyl, hydroxyalkyl, etc. or NR5R6 = (un)substituted (un)saturated 5-7 membered ring optionally containing heteroatoms], useful for the therapy of a disease which responds to an inhibition of protein kinase activity, especially

a neoplastic disease (e.g., leukemia), were prepared and formulated. Thus, amidation of 4-methyl-N-[4-(3-pyridinyl)-2-pyrimidinyl]-1,3-benzenediamine with 4-diethylamino-3-(trifluoromethyl)benzoic acid (preparation given) afforded I [R1 = H; R2 = NEt2; R3 = CF3; R4 = Me] which showed IC50 of 50-100 nM against c-Abl and IC50 of 200-500 nM against Bcr-Abl (in vitro inhibition data).

IT 677704-35-7P 677704-36-8P 677704-37-9P  
 677704-38-0P 677704-39-1P 677704-40-4P  
 677704-41-5P 677704-42-6P 677704-43-7P  
 677704-44-8P 677704-45-9P 677704-46-0P  
 677704-47-1P 677704-48-2P 677704-49-3P


677704-50-6P 677704-51-7P 677704-52-8P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of novel N-[3-(pyrimidin-2-ylamino)phenyl] benzamides as protein kinase inhibitors)


RN 677704-35-7 CAPLUS

CN Benzamide, 4-(diethylamino)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-36-8 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(1-pyrrolidinyl)-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-37-9 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(4-morpholinyl)-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-38-0 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(1-piperidinyl)-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-39-1 CAPLUS

CN Benzamide, 4-(4-methyl-1-piperazinyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-40-4 CAPLUS

CN Benzamide, 4-(1H-imidazol-1-yl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-41-5 CAPLUS

CN Benzamide, 4-(2-methyl-1H-imidazol-1-yl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-42-6 CAPLUS

CN Benzamide, 4-(4-methyl-1H-imidazol-1-yl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-43-7 CAPLUS

CN Benzamide, 4-(2,4-dimethyl-1H-imidazol-1-yl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-44-8 CAPLUS

CN Benzamide, 3-(1H-imidazol-1-yl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-45-9 CAPLUS

CN Benzamide, 3-(2-methyl-1H-imidazol-1-yl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-46-0 CAPLUS

CN Benzamide, 3-(4-methyl-1H-imidazol-1-yl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-47-1 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(4-morpholinyl)-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-48-2 CAPLUS

CN Benzamide, 3-(4-methyl-1-piperazinyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 677704-49-3 CAPLUS


CN Benzamide, 4-[[2-(dimethylamino)ethyl]methylamino]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 677704-50-6 CAPLUS


CN Benzamide, 4-[methyl(1-methyl-4-piperidiny]amino]-N-[4-methyl-3-[[4-(3-

pyridinyl)-2-pyrimidinyl]amino]phenyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 677704-51-7 CAPLUS

CN Benzamide, 3-(ethylamino)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 677704-52-8 CAPLUS


CN Benzamide, 3-(acetylamino)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)



L10 ANSWER 28 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2004:20664 CAPLUS  
 DN 140:77165  
 TI Preparation of 4-[(4-methylpiperazin-1-yl)methyl]benzamide for treatment of leukemia  
 IN Asaki, Tetsuo; Hamamoto, Taisuke; Sugiyama, Yukiteru  
 PA Nippon Shinyaku Co., Ltd., Japan  
 SO PCT Int. Appl., 102 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA Japanese  
 FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004002963	A1	20040108	WO 2003-JP8192	20030627
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	CA 2490907	A1	20040108	CA 2003-2490907	20030627
	AU 2003246100	A1	20040119	AU 2003-246100	20030627
	BR 2003012288	A	20050412	BR 2003-12288	20030627
	EP 1533304	A1	20050525	EP 2003-738555	20030627
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	CN 1678590	A	20051005	CN 2003-820146	20030627
	MX 2004PA12845	A	20050224	MX 2004-PA12845	20041216
	US 2006014742	A1	20060119	US 2004-519722	20041228
PRAI	JP 2002-189269	A	20020628		
	JP 2002-305146	A	20021018		
	JP 2002-377937	A	20021226		
	WO 2003-JP8192	W	20030627		
OS	MARPAT 140:77165				
AB	The title compds. I [wherein R1 = saturate cyclic amino, alkylamino, or dialkylamino; R2 = alkyl, halo, haloalkyl, hydroxyalkyl, alkoxy, alkoxyalkyl, alkoxyacarbonyl, acyl, amino, alkylamino, dialkylamino, NO2, carbamoyl, alkylcarbamoyl, dialkylcarbamoyl, or CN; R3 = H, halo, or alkoxy; Het1 = pyridyl, Ph, pyrimidyl, pyrazinyl, or triazinyl; Het2 = pyridyl, pyrimidyl, pyrazinyl, pyridazinyl, or 1,2-dihydropyridazinyl; etc.] or salts thereof are prepared as BCR-ABL tyrosine kinase inhibitors, and are useful for the treatment of leukemia (no data). For example, the compound II was prepared in a multi-step synthesis. II showed inhibitory activities with IC50 of 0.0008 and 3.99 $\mu$ M against cell proliferation of K562 and U937, resp., in cow. Formulations containing I as an active ingredient were also described.				
IT	641615-11-4P 641615-12-5P				
	RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)				
	(drug candidate; preparation of [(piperazinyl)methyl]benzamides for treatment of leukemia)				
RN	641615-11-4 CAPLUS				
CN	Benzamide, 3-bromo-4-[(dimethylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)				

10/528,913




RN 641615-12-5 CAPLUS

CN Benzamide, 3-bromo-4-[(diethylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 29 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
AN 2003:738968 CAPLUS  
DN 139:358017  
TI Kinases, Homology Models, and High Throughput Docking  
AU Diller, David J.; Li, Rixin  
CS Pharmacopeia, Inc., Princeton, NJ, 08543-5350, USA  
SO Journal of Medicinal Chemistry (2003), 46(22), 4638-4647  
CODEN: JMCMAR; ISSN: 0022-2623  
PB American Chemical Society  
DT Journal  
LA English  
AB With the many protein sequences coming from the genome sequencing projects, it is unlikely that the authors will ever have an atomic resolution structure of every relevant protein. With high throughput crystallog., however, the authors will soon have representative structures for the vast majority of protein families. Thus the drug discovery and design process will rely heavily on protein modeling to address issues such as designing combinatorial libraries for an entire class of targets and engineering genome-wide selectivity over a target class. In this study the authors assess the value of high throughput docking into homol. models. To do this the authors dock a database of random compds. seeded with known inhibitors into homol. models of six different kinases. In five of the six cases the known inhibitors were enriched by factors of 4-5 in the top 5% of the overall scored and ranked compds. Furthermore, in the same five cases the known inhibitors were enriched by factors of 2-3 in the top 5% of the scored and ranked known kinase inhibitors, thus showing that the homol. models can pick up some of the crucial selectivity information.  
IT 152459-94-4D, derivs.  
RL: PAC (Pharmacological activity); PRP (Properties); BIOL (Biological study)  
(protein kinases and homol. models and high throughput docking in relation to drug discovery and design)  
RN 152459-94-4 CAPLUS  
CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(CA INDEX NAME)




RE.CNT 76 THERE ARE 76 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 30 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2003:689661 CAPLUS  
 DN 139:374254  
 TI Synthesis of pyrimidinopyridine-triazene conjugates targeted to abl tyrosine kinase  
 AU Rachid, Zakaria; Katsoulas, Athanasia; Brahimi, Fouad; Jean-Claude, Bertrand Jacques  
 CS Department of Medicine, Division of Medical Oncology, Cancer Drug Research Laboratory, McGill University/Royal Victoria Hospital, Montreal, QC, 687, Can.  
 SO Bioorganic & Medicinal Chemistry Letters (2003), 13(19), 3297-3300  
 CODEN: BMCLE8; ISSN: 0960-894X  
 PB Elsevier Science B.V.  
 DT Journal  
 LA English  
 OS CASREACT 139:374254  
 AB The synthesis and abl tyrosine kinase inhibitory activities of alkyltriazenes conjugated to phenylaminopyrimidines are described. Significant abl inhibitory activities were observed only when a benzamido spacer was inserted between the 1,2,3-triazene chain and the 2-phenylaminopyridopyrimidine moiety.  
 IT 623901-00-8P 623901-01-9P  
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)  
 (synthesis of pyrimidinopyridine-triazene conjugates targeted to abl tyrosine kinase and cytotoxicity structure activity)  
 RN 623901-00-8 CAPLUS  
 CN Benzamide, 4-amino-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 623901-01-9 CAPLUS  
 CN Benzamide, 4-amino-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(CA INDEX NAME)




IT 623901-02-0P 623901-03-1P 623901-04-2P  
 623901-05-3P  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (synthesis of pyrimidinopyridine-triazene conjugates targeted to abl tyrosine kinase and cytotoxicity structure activity)  
 RN 623901-02-0 CAPLUS  
 CN Benzamide, 4-[3-(2-methoxyethyl)-1-triazenyl]-N-[3-[[4-(3-pyridinyl)-2-

pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 623901-03-1 CAPLUS

CN Benzamide, 4-(3,3-dimethyl-1-triazenyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 623901-04-2 CAPLUS

CN Benzamide, 4-[3-(hydroxymethyl)-3-methyl-1-triazenyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 623901-05-3 CAPLUS

CN Benzamide, 4-[3-(2-chloroethyl)-3-methyl-1-triazenyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



IT 623900-98-1P 623900-99-2P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(synthesis of pyrimidinopyridine-triazene conjugates targeted to abl tyrosine kinase and cytotoxicity structure activity)


RN 623900-98-1 CAPLUS

CN Benzamide, 4-nitro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)

10/528,913



RN 623900-99-2 CAPLUS  
CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-nitro- (9CI) (CA INDEX NAME)



RE.CNT 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 31 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2003:678606 CAPLUS

DN 139:197709

TI macrolide erythromycin conjugates of biologically active compounds, methods for their preparation and use, formulation, and pharmaceutical applications thereof

IN Burnet, Michael; Guse, Jan-Hinrich; Gutke, Hans-Jurgen; Beck, Albert; Tsotsou, Georgia; Droste-Borel, Irina; Reichert, Jeannette; Luyten, Kattie; Busch, Maximilian; Wolff, Michael; Khobzaoui, Moussa; Margutti, Simona; Meindl, Thomas; Kim, Gene; Barker, Laurence

PA Sympore G.m.b.H., Germany

SO PCT Int. Appl., 183 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003070174	A2	20030828	WO 2003-US4609	20030214
	WO 2003070174	A3	20031113		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	CA 2476423	A1	20030828	CA 2003-2476423	20030214
	AU 2003219770	A1	20030909	AU 2003-219770	20030214
	EP 1483277	A2	20041208	EP 2003-716044	20030214
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
	IN 2004CN01815	A	20060616	IN 2004-CN1815	20040813
	US 2005171342	A1	20050804	US 2005-504787	20050324
PRAI	US 2002-357434P	P	20020215		
	WO 2003-US4609	W	20030214		

OS MARPAT 139:197709

AB Erythromycin macrolide conjugates T-(L-C)m, wherein T is a transportophore, L is a bond or a linker having a mol. weight up to 240 dalton, C is a non-antibiotic therapeutic agent, and m is 1-8, in which the transportophore has an immune selectivity ratio of at least 2, the transportophore is covalently bonded to the non-antibiotic therapeutic agent via the bond or the linker, and the compound has an immune selectivity ratio of at least 2, useful for enhancing efficacy of a therapeutic agent. Thus, macrolide I (R = R1) was prepared in 76% yield via coupling of I (R = H) with diclofenac as antitumor and antibacterial agent and was tested in vitro for its cytotoxicity and immunosuppressive activity using a mouse skin transplant model.

IT 586412-38-6P

RL: IMF (Industrial manufacture); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(macrolide erythromycin conjugates of biol. active compds. methods for their preparation and use formulation and pharmaceutical applications thereof)


RN 586412-38-6 CAPLUS

CN 1-Oxa-6-azacyclopentadecan-15-one, 13-[(2,6-dideoxy-3-C-methyl-3-O-methyl-


$\alpha$ -L-ribo-hexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-  
 3,5,6,8,10,12,14-heptamethyl-11-[[[3,4,6-trideoxy-3-(dimethylamino)-2-O-[[4-  
 [4-[[[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]amino]carbon  
 yl]phenyl]-1-piperazinyl]acetyl]- $\beta$ -D-xylo-hexopyranosyl]oxy]-,  
 (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B



10/528,913

PAGE 2-A




IT 586412-43-3P

RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (macrolide erythromycin conjugates of biol. active compds. methods for their preparation and use formulation and pharmaceutical applications thereof)

RN 586412-43-3 CAPLUS


CN 1-Piperazinecarboxylic acid, 4-[4-[[[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]amino]carbonyl]phenyl]-, 9H-fluoren-9-ylmethyl ester (9CI) (CA INDEX NAME)

PAGE 1-A



11/561,039

RE.CNT 3      THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT



10/528,913

L10 ANSWER 32 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2003:678605 CAPLUS  
 DN 139:197708  
 TI macrolide erythromycin conjugates of biologically active compounds,  
 methods for their preparation and use, formulation, and pharmaceutical  
 applications thereof  
 IN Burnet, Michael; Guse, Jan-Hinrich; Kim, Gene; Beck, Albert; Tsotsou,  
 Georgia; Droste-Borel, Irina; Barker, Laurence; Wolff, Michael; Gutke,  
 Hans-Jurgen  
 PA Sympore G.m.b.H., Germany  
 SO PCT Int. Appl., 164 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003070173	A2	20030828	WO 2003-US4596	20030214
	WO 2003070173	A3	20031204		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	AU 2003215245	A1	20030909	AU 2003-215245	20030214
	US 2004005641	A1	20040108	US 2003-367624	20030214
	EP 1483579	A2	20041208	EP 2003-711061	20030214
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
	IN 2004CN01809	A	20060224	IN 2004-CN1809	20040813
	US 2006099660	A1	20060511	US 2005-504786	20050929
PRAI	US 2002-357589P	P	20020215		
	WO 2003-US4596	W	20030214		

OS MARPAT 139:197708

AB Erythromycin macrolide conjugates T-(L-C)m, wherein T is a transportophore, L is a bond or a linker having a mol. weight up to 240 dalton, C is a non-antibiotic therapeutic agent, and m is 1-8, in which the transportophore has an immune selectivity ratio of at least 2, the transportophore is covalently bonded to the non-antibiotic therapeutic agent via the bond or the linker, and the compound has an immune selectivity ratio of at least 2, useful for enhancing efficacy of a therapeutic agent. Thus, macrolide I (R = R1) was prepared in 76% yield via coupling of I (R = H) with diclofenac as antitumor and antibacterial agent and was tested in vitro for its cytotoxicity and immunosuppressive activity using a mouse skin transplant model.

IT 586412-38-6P

RL: IMF (Industrial manufacture); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (macrolide erythromycin conjugates of biol. active compds. methods for their preparation and use formulation and pharmaceutical applications thereof)

RN 586412-38-6 CAPLUS

CN 1-Oxa-6-azacyclopentadecan-15-one, 13-[(2,6-dideoxy-3-C-methyl-3-O-methyl- $\alpha$ -L-ribo-hexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-

10/528,913


ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/528,913


3,5,6,8,10,12,14-heptamethyl-11-[[[3,4,6-trideoxy-3-(dimethylamino)-2-O-[[4-[4-[[[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]amino]carbon  
yl]phenyl]-1-piperazinyl]acetyl]-β-D-xylo-hexopyranosyl]oxy]-,  
(2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A




PAGE 1-B




10/528,913



IT 586412-43-3P  
 RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (macrolide erythromycin conjugates of biol. active compds. methods for their preparation and use formulation and pharmaceutical applications thereof)  
 RN 586412-43-3 CAPLUS  
 CN 1-Piperazinecarboxylic acid, 4-[4-[[[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]amino]carbonyl]phenyl]-, 9H-fluoren-9-ylmethyl ester (9CI) (CA INDEX NAME)





L10 ANSWER 33 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2003:633685 CAPLUS  
 DN 139:180080  
 TI Preparation of N-(pyridin-3-ylpyrimidin-2-ylaminophenyl)benzamide derivatives  
 IN Loiseleur, Olivier; Kaufmann, Daniel; Abel, Stephan; Buerger, Hans Michael; Meisenbach, Mark; Schmitz, Beat; Sedelmeier, Gottfried  
 PA Novartis A.-G., Switz.; Novartis Pharma G.m.b.H.  
 SO PCT Int. Appl., 38 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003066613	A1	20030814	WO 2003-EP1188	20030206
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LT, LU, LV, MA, MD, MK, MN, MX, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SE, SG, SK, TJ, TM, TN, TR, TT, UA, US, UZ, VC, VN, YU, ZA, ZW				
	RW: AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR				
	CA 2474738	A1	20030814	CA 2003-2474738	20030206
	AU 2003244444	A1	20030902	AU 2003-244444	20030206
	AU 2003244444	B2	20070809		
	EP 1474408	A1	20041110	EP 2003-737319	20030206
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	BR 2003007529	A	20041221	BR 2003-7529	20030206
	CN 1630648	A	20050622	CN 2003-803556	20030206
	JP 2005528340	T	20050922	JP 2003-565987	20030206
	NZ 534315	A	20070629	NZ 2003-534315	20030206
	CN 101016262	A	20070815	CN 2007-10086009	20030206
	IN 2004CN01716	A	20060224	IN 2004-CN1716	20040804
	MX 2004PA07642	A	20041110	MX 2004-PA7642	20040806
	NO 2004003685	A	20041105	NO 2004-3685	20040903
	US 2006142580	A1	20060629	US 2005-503538	20050120
	ZA 200405970	A	20060531	ZA 2004-5970	20060329
	AU 2007203462	A1	20070816	AU 2007-203462	20070725
	AU 2007203463	A1	20070816	AU 2007-203463	20070725
PRAI	GB 2002-2873	A	20020207		
	AU 2003-244444	A3	20030206		
	CN 2003-803556	A3	20030206		
	WO 2003-EP1188	W	20030206		

OS MARPAT 139:180080

AB The present invention relates to a process for the preparation of the title compds., amides I [R1, R2, R3, R4, R5 = lower alkyl, amino, lower alkoxy carbonyl, unsubstituted or substituted radical selected from benzylamino, benzoylamino, pyrrolidinyl, piperazinyl, 4-methylpiperazinyl, H, cyano, etc., with substituents selected from cyano, lower alkyl, CF3, halogen, etc.; R1R2 or R2R3 or R3R4 or R4R5 = substituted or unsubstituted alkylene radical with 4 carbons, substituents = cyano, hydroxy, 4-methylpiperazinyl-substituted lower alkyl, etc. while the other three radicals are independently H, cyano, hydroxy, CF3, etc.; R6, R7, or R8 = halogen, NH2, NO2, NHCOCF3, NHCOME, NHC(NH)NH2 while the other two radicals are H, lower alkyl, lower fluorinated alkyl, benzyl, Ph, Me]. For example, benzamide II was prepared by reacting 4-(3-pyridyl)-2-pyridineamine with N-(3-bromo-4-methylphenyl)-4-(4-methylpiperazin-1-

ylmethyl)benzamide, which was prepared by condensing 3-bromo-4-methylaniline and 4-(4-methylpiperazin-1-ylmethyl)benzoic acid Me ester in toluene in the presence of AlMe<sub>3</sub>.


IT 581076-66-6P

RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)

(preparation of N-(pyridin-3-ylpyrimidin-2-ylaminophenyl)benzamide derivs.)

RN 581076-66-6 CAPLUS

CN Benzamide, 4-(dichloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT


L10 ANSWER 34 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2003:591164 CAPLUS  
 DN 139:149642  
 TI Preparation of benzoylaminophenylaminopyrimidinylpyridines as antitumor agents  
 IN Boernsen, Klaus Olaf; End, Peter; Gross, Gerhard; Pfaar, Ulrike  
 PA Novartis Ag, Switz.; Novartis Pharma Gmbh  
 SO PCT Int. Appl., 50 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003062220	A1	20030731	WO 2003-EP613	20030122
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LT, LU, LV, MA, MD, MK, MN, MX, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SE, SG, SK, TJ, TM, TN, TR, TT, UA, US, UZ, VC, VN, YU, ZA, ZW				
	RW: AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR				
	CA 2474104	A1	20030731	CA 2003-2474104	20030122
	EP 1470120	A1	20041027	EP 2003-731700	20030122
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	BR 2003007058	A	20041228	BR 2003-7058	20030122
	JP 2005519908	T	20050707	JP 2003-562099	20030122
	CN 1646519	A	20050727	CN 2003-802708	20030122
	EP 1783126	A2	20070509	EP 2007-101787	20030122
	R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LI, LU, MC, NL, PT, SE, SI, SK, TR, RO				
	IN 2004CN01599	A	20060224	IN 2004-CN1599	20040720
	MX 2004PA07130	A	20041029	MX 2004-PA7130	20040723
	US 2005209452	A1	20050922	US 2005-502291	20050429
PRAI	GB 2002-1508	A	20020123		
	EP 2003-731700	A3	20030122		
	WO 2003-EP613	W	20030122		


OS MARPAT 139:149642  
 AB Title compds. I [R1 = , OH; R2 = H, alkyl, hydroxyalkyl; A = NR3R4, CR3R4, OR3R4; R3R4 = (un)substituted alkylene, oxaalkylene, azaalkylene; at least one N atom is substituted by O] were prepared for use as antitumor agents (no data). Thus, I [R1 = H, R2 = Me, A = 4-methyl-4-oxido-1-piperazinyl] was prepared by oxidation of I [R1 = H, R2 = Me, A = 4-methyl-1-piperazinyl].  
 IT 152459-94-4  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (preparation of benzoylaminophenylaminopyrimidinylpyridines as antitumor agents)  
 RN 152459-94-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (CA INDEX NAME)



IT 180258-56-4P 571187-02-5P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT  
 (Reactant or reagent)  
 (preparation of benzoylaminophenylaminopyrimidinylpyridines as antitumor  
 agents)  
 RN 180258-56-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(1-oxido-3-pyridinyl)-2-  
 pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 571187-02-5 CAPLUS  
 CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(1-oxido-3-pyridinyl)-2-  
 pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 35 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2003:551338 CAPLUS

DN 139:111702

TI Compositions and methods using ATP-dependent  $\gamma$ -secretase modulators for prevention and treatment of amyloid- $\beta$  peptide-related disorders, and screening methods for modulators of A $\beta$

IN Netzer, William J.; Greengard, Paul; Xu, Huaxi

PA The Rockefeller University, USA

SO PCT Int. Appl., 142 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003057165	A2	20030717	WO 2003-US249	20030106
	WO 2003057165	A3	20031113		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	AU 2003206397	A1	20030724	AU 2003-206397	20030106
	US 2004028673	A1	20040212	US 2003-337261	20030106
	EP 1469810	A2	20041027	EP 2003-703695	20030106
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
	JP 2005522417	T	20050728	JP 2003-557524	20030106
PRAI	US 2002-345009P	P	20020104		
	WO 2003-US249	W	20030106		

OS MARPAT 139:111702

AB The invention provides methods and compns. for modulating levels of amyloid- $\beta$  peptide (A $\beta$ ) exhibited by cells or tissues. The invention also provides pharmaceutical compns. and methods of screening for compds. that modulate A $\beta$  levels. The invention also provides modulation of A $\beta$  levels via selective modulation (e.g., inhibition) of ATP-dependent  $\gamma$ -secretase activity. The invention also provides methods of preventing, treating or ameliorating the symptoms of a disorder, including but not limited to an A $\beta$ -related disorder, by administering a modulator of  $\gamma$ -secretase, including, but not limited to, a selective inhibitor of ATP-dependent  $\gamma$ -secretase activity or an agent that decreases the formation of active (or optimally active)  $\gamma$ -secretase. The invention also provides the use of inhibitors of ATP-dependent  $\gamma$ -secretase activity to prevent, treat or ameliorate the symptoms of Alzheimer's disease.

IT 560070-08-8


RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(ATP-dependent enzyme modulators for prevention and treatment of amyloid- $\beta$  peptide-related disorders, and screening methods for modulators of A $\beta$ )

RN 560070-08-8 CAPLUS

CN Benzamide, 4-[(4-hydroxy-1-piperazinyl)methyl]-N-[3-methyl-4-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)

10/528,913



L10 ANSWER 36 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2002:889028 CAPLUS  
 DN 137:379974  
 TI Pyridylpyrimidine derivatives as effective compounds against prion diseases  
 IN Stein-Gerlach, Matthias; Salassidis, Konstadinos; Bacher, Gerald; Mueller, Stefan  
 PA Axxima Pharmaceuticals A.-G., Germany  
 SO PCT Int. Appl., 96 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002093164	A2	20021121	WO 2002-EP5420	20020516
	WO 2002093164	A3	20030904		
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	CA 2446939	C	20021121	CA 2002-2446939	20020516
	CA 2446939	A1	20021121		
	AU 2002342878	A1	20021125	AU 2002-342878	20020516
	EP 1395261	A2	20040310	EP 2002-769490	20020516
	EP 1395261	B1	20060628		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	AT 331519	T	20060715	AT 2002-769490	20020516
	EP 1721609	A2	20061115	EP 2006-13237	20020516
	EP 1721609	A3	20070131		
	R: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE, TR				
	US 2003176443	A1	20030918	US 2002-204041	20020816
	US 2006217404	A1	20060928	US 2006-350410	20060208
PRAI	EP 2001-111858	A	20010516		
	US 2001-293528P	P	20010529		
	EP 2001-117113	A	20010713		
	US 2001-305898P	P	20010718		
	EP 2002-769490	A3	20020516		
	WO 2002-EP5420	W	20020516		
	US 2002-204041	B1	20020816		

OS MARPAT 137:379974

AB The present invention relates to pyridylpyrimidine derivs. of the general formula (I) : wherein R represents hydrogen or Me and Z represents nitrogen containing functional groups, the use of the pyridylpyrimidine derivs. as pharmaceutically active agents, especially for the prophylaxis and/or

treatment of prion infections and prion diseases, as well as compns. containing at least one pyridylpyrimidine derivative and/or pharmaceutically acceptable salt thereof. Furthermore, the present invention is directed to methods for preventing and/or treating prion infections and prion diseases using said pyridylpyrimidine derivs. Human cellular protein kinases, phosphatases and cellular signal transduction mols. are disclosed

as targets for detecting, preventing and/or treating prion infections and diseases, especially BSE, vCJD, or CJD, which can be inhibited by the inventive pyridylpyrimidine derivs.


IT 152459-76-2 152459-86-4 152459-88-6  
 152459-91-1 152459-92-2 152459-94-4  
 152459-96-6 152459-98-8 152459-99-9  
 404844-11-7 475587-06-5 475587-08-7  
 475587-09-8 475587-12-3 475587-13-4  
 475587-14-5 475587-15-6 475587-18-9  
 475587-19-0 475587-25-8 475587-26-9  
 475587-27-0 475587-29-2 475587-31-6  
 475587-32-7 475587-34-9 475587-38-3  
 475587-40-7 475587-41-8 475587-42-9  
 475587-43-0 475587-44-1 475587-46-3  
 475587-47-4 475587-48-5 475587-49-6  
 475587-50-9 475587-57-6 475587-58-7  
 475587-59-8 475587-60-1 475587-62-3  
 475587-63-4 475587-64-5 475587-72-5  
 475587-73-6 475587-74-7

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(pyridylpyrimidine derivs. as effective compds. against prion diseases)


RN 152459-76-2 CAPLUS

CN Benzamide, 4-chloro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-86-4 CAPLUS

CN Benzamide, 2-methoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-88-6 CAPLUS


CN Benzamide, 4-cyano-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-91-1 CAPLUS  
 CN Benzamide, 4-methyl-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)




RN 152459-92-2 CAPLUS  
 CN Benzamide, 4-chloro-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)




RN 152459-94-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (CA INDEX NAME)



RN 152459-96-6 CAPLUS  
 CN Benzamide, 4-methyl-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-98-8 CAPLUS  
 CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-99-9 CAPLUS

CN Benzamide, 2-methoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 404844-11-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 475587-06-5 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-08-7 CAPLUS


CN Benzamide, 3,4,5-trimethoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-09-8 CAPLUS  
 CN Benzamide, 4-methoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)




RN 475587-12-3 CAPLUS  
 CN Benzamide, 3,5-dimethoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-13-4 CAPLUS  
 CN Benzamide, 3,4,5-trimethoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 475587-14-5 CAPLUS  
 CN Benzamide, 4-cyano-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-15-6 CAPLUS  
 CN Benzamide, 4-methoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-18-9 CAPLUS

CN Benzamide, 3,5-dimethoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-19-0 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(trifluoromethoxy)- (9CI) (CA INDEX NAME)




RN 475587-25-8 CAPLUS

CN Benzamide, 3,4,5-trimethoxy-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-26-9 CAPLUS

CN Benzamide, 4-cyano-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-27-0 CAPLUS

CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-29-2 CAPLUS

CN Benzamide, 4-cyano-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-31-6 CAPLUS

CN Benzamide, 4-methoxy-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-32-7 CAPLUS


CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-34-9 CAPLUS  
 CN Benzamide, 3,5-dimethoxy-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-38-3 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-(trifluoromethoxy)- (9CI) (CA INDEX NAME)




RN 475587-40-7 CAPLUS  
 CN Benzamide, 4-methoxy-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 475587-41-8 CAPLUS  
 CN Benzamide, 4-cyano-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-42-9 CAPLUS  
 CN Benzamide, 3,4,5-trimethoxy-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-43-0 CAPLUS

CN Benzamide, 3,5-dimethoxy-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-44-1 CAPLUS

CN Benzamide, 3,4,5-trimethoxy-N-[4-methyl-3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-46-3 CAPLUS

CN Benzamide, 4-methoxy-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-47-4 CAPLUS

CN Benzamide, 3,5-dimethoxy-N-[4-methyl-3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-48-5 CAPLUS

CN Benzamide, N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-49-6 CAPLUS

CN Benzamide, 4-chloro-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-50-9 CAPLUS

CN Benzamide, 4-methoxy-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-57-6 CAPLUS

CN Benzamide, 4-cyano-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-58-7 CAPLUS

CN Benzamide, 3,5-dimethoxy-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-59-8 CAPLUS

CN Benzamide, 4-bromo-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 475587-60-1 CAPLUS

CN Benzamide, 4-methyl-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 475587-62-3 CAPLUS

CN Benzamide, 3,5-dichloro-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 475587-63-4 CAPLUS

CN Benzamide, N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA  
INDEX NAME)




RN 475587-64-5 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[3-[[4-(2-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 475587-72-5 CAPLUS

CN Benzamide, 2-methoxy-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 475587-73-6 CAPLUS

CN Benzamide, N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-4-  
(trifluoromethoxy)- (9CI) (CA INDEX NAME)



RN 475587-74-7 CAPLUS

CN Benzamide, 4-methyl-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)



L10 ANSWER 37 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 2002:220573 CAPLUS  
 DN 136:247605  
 TI N-phenyl-2-pyrimidinamine derivatives as tyrosine kinase inhibitors  
 IN Buerger, Hans Michael; Caravatti, Giorgio; Zimmermann, Juerg; Manley, Paul  
 William; Breitenstein, Werner; Cudd, Margaret Amelia  
 PA Novartis A.-G., Switz.; Novartis-Erfindungen Verwaltungsgesellschaft  
 m.b.H.  
 SO PCT Int. Appl., 54 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002022597	A1	20020321	WO 2001-EP10503	20010911
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	CA 2416274	A1	20020321	CA 2001-2416274	20010911
	AU 2002018167	A5	20020326	AU 2002-18167	20010911
	BR 2001013838	A	20030603	BR 2001-13838	20010911
	EP 1322634	A1	20030702	EP 2001-984640	20010911
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	JP 2004509111	T	20040325	JP 2002-526850	20010911
	CN 1525967	A	20040901	CN 2001-815539	20010911
	CN 1872850	A	20061206	CN 2006-10100258	20010911
	US 2004102453	A1	20040527	US 2003-363841	20030310
	US 7081532	B2	20060725		
	US 2006223818	A1	20061005	US 2006-448649	20060607
PRAI	GB 2000-22438	A	20000913		
	CN 2001-815539	A3	20010911		
	WO 2001-EP10503	W	20010911		
	US 2003-363841	A3	20030310		

OS MARPAT 136:247605


AB The N-phenyl-2-pyrimidinamines I [R = substituted Ph; R1 = (un)substituted pyrazinyl, 1-methylpyrrolyl, aminophenyl, aminoalkylphenyl, indolyl, imidazolyl, pyridyl, pyridyl N-oxide; R2, R3 = H, alkyl] were prepared for use as tyrosine kinase inhibitors with IC50 of 3-300 nM. Thus, the benzamide II [R4 = 4-ethylpiperazino] was prepared from II [R4 = Cl] and 1-ethylpiperazine.

IT 404844-10-6 404844-11-7

RL: RCT (Reactant); RACT (Reactant or reagent)  
 (preparation of N-phenyl-2-pyrimidinamine derivs. as tyrosine kinase inhibitors)

RN 404844-10-6 CAPLUS


CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 404844-11-7 CAPLUS

CN Benzamide, 4-(chloromethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



IT 404843-95-4P 404843-96-5P 404844-04-8P


404844-05-9P 404844-06-0P 404844-07-1P

404844-08-2P 404844-09-3P

RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation of N-phenyl-2-pyrimidinamine derivs. as tyrosine kinase inhibitors)


RN 404843-95-4 CAPLUS

CN Benzamide, 4-[(diethylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 404843-96-5 CAPLUS

CN Benzamide, 4-[(dimethylamino)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 404844-04-8 CAPLUS

CN Benzamide, 3-(dimethylamino)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 404844-05-9 CAPLUS

CN Benzamide, 4-(dimethylamino)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 404844-06-0 CAPLUS

CN Benzamide, 4-(acetylamino)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 404844-07-1 CAPLUS


CN Benzamide, 3-(acetylamino)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 404844-08-2 CAPLUS


CN Benzamide, 3-hydroxy-4-methyl-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)

10/528,913



RN 404844-09-3 CAPLUS

CN Benzamide, 4-(1,1-dimethylethyl)-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 38 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2000:133467 CAPLUS

DN 132:175828

TI Method using phthalazine derivatives for treating ocular neovascular diseases

IN Brazzell, Romulus Kimbro; Wood, Jeanette Marjorie; Campochiaro, Peter Anthony; Kane, Frances Elizabeth

PA Novartis A.-G., Switz.; Novartis-Erfindungen Verwaltungsgesellschaft m.b.H.

SO PCT Int. Appl., 30 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000009098	A2	20000224	WO 1999-EP5876	19990811
	WO 2000009098	A3	20000518		
	W:	AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW			
	RW:	GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
	AU 9957330	A	20000306	AU 1999-57330	19990811
	EP 1105136	A2	20010613	EP 1999-944371	19990811
	EP 1105136	B1	20070829		
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, CY			
	JP 2002522475	T	20020723	JP 2000-564601	19990811
	TW 239243	B	20050911	TW 1999-88113778	19990812
	US 6214819	B1	20010410	US 1999-442781	19991118
PRAI	US 1998-133855	A	19980813		
	WO 1999-EP5876	W	19990811		

OS MARPAT 132:175828


AB Phthalazines are used in the preparation of medicaments for the treatment of ocular neovascularization.

IT 152459-94-4, CGP 53716

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)  
(phthalazine derivs. for treating ocular neovascular diseases)


RN 152459-94-4 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(CA INDEX NAME)




L10 ANSWER 39 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1999:316816 CAPLUS  
 DN 131:125171  
 TI Prevention of cardiac allograft arteriosclerosis by protein tyrosine  
 kinase inhibitor selective for platelet-derived growth factor receptor  
 AU Sihvola, Roope; Koskinen, Petri; Myllarniemi, Marjukka; Loubtchenkov,  
 Michael; Hayry, Pekka; Buchdunger, Elisabeth; Lemstrom, Karl  
 CS Cardiopulmonary Research Group of the Transplantation Laboratory,  
 University of Helsinki and Helsinki University Central Hospital, Helsinki,  
 FIN-00014, Finland  
 SO Circulation (1999), 99(17), 2295-2301  
 CODEN: CIRCAZ; ISSN: 0009-7322  
 PB Lippincott Williams & Wilkins  
 DT Journal  
 LA English  
 AB Background-Increased immunoreactivity of platelet-derived growth factor  
 (PDGF)-AA, -R $\alpha$ , and -R $\beta$  in intimal cells correlates with the  
 development of cardiac allograft arteriosclerosis, a condition for which  
 there is little or no current therapy. Therefore, we hypothesized that  
 PDGF may have a rate-limiting role in the development of this disease.  
 Methods and Results-The hypothesis was tested in a rat model of  
 heterotopic cardiac and aortic allografts using dark agouti (AG-B4, RT1a)  
 donors and Wistar-Furth (AG-B2, RT1u) recipients. The recipients received  
 CGP 53716, a selective PDGF-R protein tyrosine kinase inhibitor, 50 mg  
 • kg<sup>-1</sup> • d<sup>-1</sup>, or vehicle for 60 days. Cardiac allograft  
 recipients also received background cyclosporin A immunosuppression. Our  
 results demonstrate that CGP 53716 significantly reduced the incidence and  
 intensity of arteriosclerotic lesions in rat cardiac and aortic allograft  
 recipients. When rat coronary smooth muscle cells were stimulated in  
 vitro with PDGF-AA or -BB in the presence of interleukin-1 $\beta$  or tumor  
 necrosis factor- $\alpha$ , CGP 53716 significantly inhibited only  
 AA-ligand-induced but not BB-ligand-induced replication. Concomitantly,  
 in quant. reverse transcriptase-polymerase chain reaction,  
 interleukin-1 $\beta$  or tumor necrosis factor- $\alpha$  stimulation  
 specifically upregulated the expression of PDGF-R $\alpha$  mRNA but not of  
 other ligand or receptor genes in cultured smooth muscle cells.  
 Conclusions-We conclude that a PDGF-AA/R $\alpha$ -dependent cycle is induced  
 in the generation of allograft arteriosclerosis that may be inhibited by  
 blocking of signaling downstream of PDGF-R.  
 IT 152459-94-4, CGP 53716  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological  
 study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES  
 (Uses)  
 (prevention of cardiac allograft arteriosclerosis by protein tyrosine  
 kinase inhibitor selective for platelet-derived growth factor receptor)  
 RN 152459-94-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (CA INDEX NAME)

10/528,913




RE.CNT 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 40 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1999:185580 CAPLUS  
 DN 131:27908  
 TI Inhibition of obliterative bronchiolitis by platelet-derived growth factor  
 receptor protein-tyrosine kinase inhibitor  
 AU Kallio, E.; Koskinen, P.; Buchdunger, E.; Lemstrom, K.  
 CS Transplantation Laboratory, University of Helsinki, Helsinki, FIN-00014,  
 Finland  
 SO Transplantation Proceedings (1999), 31(1/2), 187  
 CODEN: TRPPA8; ISSN: 0041-1345  
 PB Elsevier Science Inc.  
 DT Journal  
 LA English  
 AB The authors investigated the role of platelet-derived growth factor (PDGF)  
 in the development of obliterative bronchiolitis and the effect of a  
 protein-tyrosine kinase (PTK) inhibitor selective for PDGF receptors  
 (CGP53716) on obliterative bronchiolitis in rats with tracheal  
 transplantations. Significant upregulation of allograft PDGF-AA and  
 $\alpha$  receptor expression was observed at 3 and 10 days after  
 transplantation compared with syngeneic grafts. This study suggests a  
 regulatory role for PDGF especially for PDGF-AA and  $\alpha$  receptor in the  
 development of obliterative bronchiolitis. This study also demonstrates  
 that inhibition of PDGF receptors with protein-tyrosine kinase inhibitor  
 significantly reduces myofibroproliferation and airway occlusion  
 suggesting a novel therapeutic strategy for the prevention of obliterative  
 bronchiolitis in lung transplantation.  
 IT 152459-94-4, CGP53716  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological  
 study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES  
 (Uses)  
 (inhibition of obliterative bronchiolitis by platelet-derived growth  
 factor receptor protein-tyrosine kinase inhibitor in relation to role  
 of platelet-derived growth factor and treatment in lung  
 transplantation)  
 RN 152459-94-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (CA INDEX NAME)




RE.CNT 4      THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 41 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
AN 1999:185568 CAPLUS  
DN 131:13660  
TI Prevention of cardiac allograft arteriosclerosis by protein-tyrosine  
kinase inhibitor selective for platelet-derived growth factor receptor  
AU Koskinen, P.; Sihvola, R.; Myllarniemi, M.; Hayry, P.; Buchdunger, E.;  
Lemstrom, K.  
CS Cardiopulmonary Research Group of the Transplantation Laboratory,  
University of Helsinki and Helsinki University Central Hospital, Helsinki,  
FIN-00014, Finland  
SO Transplantation Proceedings (1999), 31(1/2), 102  
CODEN: TRPPA8; ISSN: 0041-1345  
PB Elsevier Science Inc.  
DT Journal  
LA English  
AB Increased immunoreactivity of platelet-derived growth factor (PDGF) -AA,  
-R $\alpha$ , and -R $\beta$  in intimal cells correlates with the development  
of cardiac allograft arteriosclerosis. The results of this study conclude  
that PDGF-AA-R $\alpha$  dependent cycle is induced in the generation of  
allograft arteriosclerosis, which may be inhibited by blocking of  
signaling downstream of PDGF-R.  
IT 152459-94-4, Cgp 53716  
RL: BAC (Biological activity or effector, except adverse); BSU (Biological  
study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES  
(Uses)  
(prevention of cardiac allograft arteriosclerosis by protein-tyrosine  
kinase inhibitor selective for platelet-derived growth factor receptor)  
RN 152459-94-4 CAPLUS  
CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(CA INDEX NAME)




RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 42 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1997:728227 CAPLUS  
 DN 128:43608  
 TI Inhibition of platelet-derived growth factor receptor tyrosine kinase inhibits vascular smooth muscle cell migration and proliferation  
 AU Myllarniemi, Marukka; Calderon, Lazaro; Lemstrom, Karl; Buchdunger, Elisabeth; Hayry, Pekka  
 CS Transplantation Laboratory, University of Helsinki, Helsinki, Finland  
 SO FASEB Journal (1997), 11(13), 1119-1126  
 CODEN: FAJOEC; ISSN: 0892-6638  
 PB Federation of American Societies for Experimental Biology  
 DT Journal  
 LA English  
 AB Platelet-derived growth factors (PDGFs) and their receptors (PDGFRs) have been linked to vascular smooth muscle cell (SMC) migration and proliferation leading to atherosclerosis, restenosis, and chronic allograft rejection. This study describes the effect of CGP 53716, a specific PDGFR tyrosine kinase inhibitor on SMC proliferation and migration in vitro and in neointimal formation in vivo. CGP 53716 inhibited dose dependently tyrosine phosphorylation of both the known PDGFRs: the PDGFR- $\alpha$  and PDGFR- $\beta$ . In primary rat SMC cultures, a dose-dependent inhibition of PDGF-AA and PDGF-BB induced migration, and tritiated thymidine incorporation of SMC was seen at nontoxic concns. After rat carotid artery ballooning injury in vivo, the migration of  $\alpha$ -actin-pos. cells on the luminal side of internal elastic lamina was decreased with 50 mg·kg<sup>-1</sup>·day<sup>-1</sup> of CGP 53716 from 38  $\pm$  10 (control group) to 4  $\pm$  2 (P<0.0001, Mann-Whitney U test, N=18). CGP 53716 did not inhibit the number of replicating bromodeoxyuridine (BrdU)-incorporating cells in the intima, media, or adventitia during BrdU labeling at 0-96 postoperative h, though it inhibited significantly (P<0.01) the replication of medial and intimal cells from 93 h onward. Intima/media ratio was inhibited by 40% after 14 days in the CGP 53716-treated group (P=0.028) after rat aortic denudation. The results indicate that inhibition of the PDGFR tyrosine kinase inhibits SMC migration and proliferation in vitro, SMC migration, and, to a lesser extent, proliferation after ballooning injury in vivo, confirming a causal role for activation of the PDGFR and the formation of neointimal lesions.  
 IT 152459-94-4, CGP 53716  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (PDGFR tyrosine kinase inhibitor CGP 53716 antiatherosclerotic activity)  
 RN 152459-94-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



L10 ANSWER 43 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1997:674685 CAPLUS  
 DN 127:355149  
 TI Inhibition of cell growth: effects of the tyrosine kinase inhibitor CGP 53716  
 AU Major, Terry C.; Keiser, Joan A.  
 CS Parke-Davis Pharmaceutical Research Division, Department of Vascular and Cardiac Diseases, Warner Lambert Company, Ann Arbor, MI, USA  
 SO Journal of Pharmacology and Experimental Therapeutics (1997), 283(1), 402-410  
 CODEN: JPETAB; ISSN: 0022-3565  
 PB Williams & Wilkins  
 DT Journal  
 LA English  
 AB The growth factors, platelet-derived growth factor (PDGF) and basic fibroblast growth factor (bFGF), play major roles in enhanced smooth muscle cells growth in rodent blood vessels after vascular injury. Tyrosine kinase inhibition has been shown to be effective in blocking tyrosine phosphorylation at the PDGF and bFGF receptors in cultured fibroblast and vascular smooth muscle cells which in turn inhibits their proliferation. Our study evaluated the PDGF selective tyrosine kinase inhibitor, CGP 53716, on serum, PDGF-BB, bFGF or epidermal growth factor-induced growth responses in cultured rat aortic smooth muscle cells (RASMC) and Balb/3T3 fibroblasts (3T3). CGP 53716 inhibited serum-induced cell growth in RASMC, but not in 3T3 cells. CGP 53716 completely blocked PDGF-BB tyrosine receptor autophosphorylation in RASMC and 3T3 cells, PDGF-BB-induced phosphorylation of mitogen-activated protein kinase at 1  $\mu$ M in RASMC and inhibited PDGF-BB-induced c-Fos protein expression at 1  $\mu$ M in RASMC; consistent with inhibition of PDGF-BB-induced DNA synthesis. To examine the selectivity of CGP 53716, PDGF-BB, bFGF or EGF-induced DNA synthesis was measured using thymidine incorporation. CGP 53716 inhibited PDGF-BB-, bFGF- and EGF-induced DNA synthesis in a concentration-dependent manner in each cell line. CGP 53716 showed a 2- to 4-fold selectivity for PDGF-BB-stimulated DNA synthesis over bFGF or EGF in RASMC or 3T3 cells. To rule out that bFGF induced the release of endogenous PDGF, an antibody to PDGF-AB, which binds to all three isoforms of PDGF, was coincubated with bFGF and did not suppress the DNA synthesis induced by bFGF. Based on these results, CGP 53716 is not selective for the PDGF receptor as previously reported. However, EGF-stimulated receptor autophosphorylation of mitogen-activated protein kinase phosphorylation and c-Fos protein expression were not inhibited by CGP 53716 at 1 or 10  $\mu$ M in RASMC. The findings suggest that CGP 53716 may inhibit multiple growth factor pathways as indicated by inhibition of DNA synthesis. However, these effects must be downstream from the signaling for c-Fos protein expression or use an alternate signaling route. These results further suggest that CGP 53716 may have a therapeutic potential for the treatment of vascular proliferative diseases which are stimulated by not only PDGF but other growth factors such as bFGF and EGF.  
 IT 152459-94-4, CGP 53716  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (tyrosine kinase inhibitor CGP 53716 inhibition of vascular smooth muscle cell growth)  
 RN 152459-94-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



RE.CNT 38 THERE ARE 38 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 44 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1997:617993 CAPLUS  
 DN 127:272793  
 TI Antiproliferative combinations, containing raf-targeted oligonucleotides  
 and chemotherapeutic compounds  
 IN Muller, Marcel; Geiger, Thomas; Altmann, Karl-Heinz; Fabbro, Dorian; Monia, Brett  
 PA Novartis AG, Switz.  
 SO PCT Int. Appl., 118 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9732604	A1	19970912	WO 1997-EP875	19970224
	W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, HU, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, TR, TT, UA, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	AU 9720925	A	19970922	AU 1997-20925	19970224
	ZA 9701936	A	19970908	ZA 1997-1936	19970306
PRAI	US 1996-612787	A	19960307		
	WO 1997-EP875	W	19970224		


AB The invention relates to combinations of raf-targeted (especially c-raf-targeted) deoxyribo- and ribo-oligonucleotides and derivs. thereof with other chemotherapeutic compds., as well as to pharmaceutical prepsns. and/or therapies, in relation to disease states which respond to such oligonucleotides or oligonucleotide derivs., especially to modulation of the activity of a regulatory protein. In particular, the invention relates to products or combinations comprising antisense oligonucleotides or oligonucleotide derivs. targeted to nucleic acids encoding raf and other (preferably standard) chemotherapeutics, either in fixed combination or for chronol. staggered or simultaneous administration, and the combined use of both classes of compds., either in fixed combination or for chronol. staggered or simultaneous administration, for the treatment of proliferative diseases, especially tumor diseases, that can be treated by inhibition of raf activity, i.e., where the antisense oligonucleotides or oligonucleotide derivs. are targeted to nucleic acids encoding the regulatory protein raf or active mutated derivs. thereof.

IT 152459-94-4  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (raf-targeted oligonucleotide-chemotherapeutic compound antiproliferative combinations)


RN 152459-94-4 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (CA INDEX NAME)


10/528,913




L10 ANSWER 45 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1997:123312 CAPLUS  
 DN 126:220297  
 TI Potent and selective inhibitors of the ABL-kinase: phenylaminopyrimidine (PAP) derivatives  
 AU Zimmermann, Jurg; Buchdunger, Elisabeth; Mett, Helmut; Meyer, Thomas; Lydon, Nicholas B.  
 CS Ciba Pharmaceuticals Division, Oncology Research Department, Ciba-Geigy Limited, Basel, CH-4002, Switz.  
 SO Bioorganic & Medicinal Chemistry Letters (1997), 7(2), 187-192  
 CODEN: BMCLE8; ISSN: 0960-894X  
 PB Elsevier  
 DT Journal  
 LA English  
 AB Due to its relatively clear etiol., chronic myelogenous leukemia (CML) represents an ideal disease target for a therapy using a selective inhibitor of the Bcr-Abl tyrosine protein kinase. Extensive optimization of the class of phenylamino-pyrimidines yielded highly potent and selective Bcr-Abl kinase inhibitors.  
 IT 152459-77-3P 152459-82-0P 152459-86-4P  
 152459-87-5P 152459-88-6P 152459-91-1P  
 152459-94-4P 152459-96-6P 152459-98-8P  
 152459-99-9P  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of phenylaminopyrimidine derivs. as inhibitors of ABL-kinase)  
 RN 152459-77-3 CAPLUS  
 CN Benzamide, N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 152459-82-0 CAPLUS  
 CN Benzoic acid, 2-[[[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]amino]carbonyl]- (9CI) (CA INDEX NAME)




RN 152459-86-4 CAPLUS  
 CN Benzamide, 2-methoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-87-5 CAPLUS

CN Benzamide, 4-fluoro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-88-6 CAPLUS

CN Benzamide, 4-cyano-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-91-1 CAPLUS

CN Benzamide, 4-methyl-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-94-4 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(CA INDEX NAME)




RN 152459-96-6 CAPLUS

CN Benzamide, 4-methyl-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-98-8 CAPLUS

CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-99-9 CAPLUS

CN Benzamide, 2-methoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RE.CNT 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 46 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1996:495435 CAPLUS  
 DN 125:184908  
 TI Phenylamino-pyrimidine (PAP) derivatives: a new class of potent and selective inhibitors of protein kinase C (PKC)  
 AU Zimmermann, Juerg; Caravatti, Giorgio; Mett, Helmut; Meyer, Thomas; Mueller, Marcel; Lydon, Nicholas B.; Fabbro, Dorian  
 CS CIBA Pharmaceuticals Div., Oncology Virology Res. Dep., Ciba-Geigy Limited, Basel, CH-4002, Switz.  
 SO Archiv der Pharmazie (Weinheim, Germany) (1996), 329(7), 371-376  
 CODEN: ARPMAS; ISSN: 0365-6233  
 PB VCH  
 DT Journal  
 LA English  
 OS CASREACT 125:184908  
 AB Phenylamino-pyrimidines represent a novel class of inhibitors of protein kinase C with a high degree of selectivity vs. other serine/threonine and tyrosine kinases. Steady state kinetic anal. of N-(3-[1-imidazolyl]-phenyl)-4-(3-pyridyl)-2-pyrimidinamine, which showed potent inhibitory activity, revealed competitive kinetics relative to ATP. The adjacent H-bond acceptor of the pyrimidine moiety next to an H-bond donor of the phenylamine was found to be crucial for inhibitory activity. N-(3-Nitro-phenyl)-4-(3-pyridyl)-2-pyrimidinamine preferentially inhibited PKC- $\alpha$  (IC<sub>50</sub> = 0.79  $\mu$ M) and not the other subtypes tested. The inhibition consts. of PKC- $\alpha$  and the antiproliferative effect on T24 human bladder carcinoma cells showed a qual. correlation, although with some exceptions.  
 IT 152459-76-2P 152459-86-4P 152459-88-6P  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of phenylamino-pyrimidine derivs. as a new class of potent and selective inhibitors of protein kinase C)  
 RN 152459-76-2 CAPLUS  
 CN Benzamide, 4-chloro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)




RN 152459-86-4 CAPLUS  
 CN Benzamide, 2-methoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-(9CI) (CA INDEX NAME)



10/528,913

RN 152459-88-6 CAPLUS

CN Benzamide, 4-cyano-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)



L10 ANSWER 47 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1996:380210 CAPLUS  
 DN 125:114681  
 TI Pyrimidine derivatives and processes for the preparation thereof  
 IN Zimmermann, Juerg  
 PA Ciba-Geigy Corporation, USA  
 SO U.S., 18 pp., Cont.-in-part of U.S. Ser. No. 42,322, abandoned.  
 CODEN: USXXAM  
 DT Patent  
 LA English  
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 5521184	A	19960528	US 1994-234889	19940428
	CA 2148477	A1	19950413	CA 1994-2148477	19940921
PRAI	CH 1992-1083	A	19920403		
	US 1993-42322	B2	19930402		
	CH 1993-2966	A	19931001		

OS MARPAT 125:114681


AB There are described N-phenyl-2-pyrimidine-amine derivs. (I) wherein R1 is 4-pyrazinyl, 1-methyl-1H-pyrrolyl, amino- or amino-lower alkyl-substituted Ph wherein the amino group in each case is free, alkylated or acylated, 1H-indolyl or 1H-imidazolyl bonded at a five-membered ring carbon atom, or unsubstituted or lower alkyl-substituted pyridyl bonded at a ring carbon atom and unsubstituted or substituted at the nitrogen atom by oxygen; R2 and R3 are hydrogen or lower alkyl; one or two of R4, R5, R6, R7 are each nitro, fluoro-substituted lower alkoxy or -N(R9)C(:X)(Y)nR10. These compds. can be used, for example, in the therapy of tumoral diseases. Three example formulations are given.

IT 179115-22-1

RL: RCT (Reactant); RACT (Reactant or reagent)  
 (for preparation of phenylaminopyrimidine derivs. as antitumor agents)

RN 179115-22-1 CAPLUS

CN Benzamide, N-[3-methyl-5-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)




IT 152459-76-2P 152459-77-3P 152459-81-9P  
 152459-82-0P 152459-86-4P 152459-87-5P  
 152459-88-6P 152459-91-1P 152459-92-2P  
 152459-94-4P 152459-96-6P 152459-98-8P  
 152459-99-9P 152460-05-4P


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of phenylaminopyrimidine derivs. as antitumor agents)

RN 152459-76-2 CAPLUS


CN Benzamide, 4-chloro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)




RN 152459-77-3 CAPLUS  
 CN Benzamide, N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-81-9 CAPLUS  
 CN Benzamide, 2,3,4,5,6-pentafluoro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 152459-82-0 CAPLUS  
 CN Benzoic acid, 2-[[[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]amino]carbonyl]- (9CI) (CA INDEX NAME)




RN 152459-86-4 CAPLUS  
 CN Benzamide, 2-methoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-87-5 CAPLUS

CN Benzamide, 4-fluoro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 152459-88-6 CAPLUS

CN Benzamide, 4-cyano-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 152459-91-1 CAPLUS

CN Benzamide, 4-methyl-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 152459-92-2 CAPLUS


CN Benzamide, 4-chloro-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




RN 152459-94-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (CA INDEX NAME)




RN 152459-96-6 CAPLUS  
 CN Benzamide, 4-methyl-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 152459-98-8 CAPLUS  
 CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-99-9 CAPLUS  
 CN Benzamide, 2-methoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152460-05-4 CAPLUS  
 CN Benzamide, N-[3-methyl-5-[[4-(1-oxido-3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)


10/528,913



L10 ANSWER 48 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1996:368753 CAPLUS  
 DN 125:167896  
 TI (Phenylamino)pyrimidine (PAP) derivatives: a new class of potent and highly selective PDGF-receptor autophosphorylation inhibitors  
 AU Zimmermann, Juerg; Buchdunger, Elisabeth; Mett, Helmut; Meyer, Thomas; Lydon, Nicholas B.; Traxler, Peter  
 CS Oncol. Res. Dep., Ciba Pharm. Div., Basel, CH-4002, Switz.  
 SO Bioorganic & Medicinal Chemistry Letters (1996), 6(11), 1221-1226  
 CODEN: BMCLE8; ISSN: 0960-894X  
 PB Elsevier  
 DT Journal  
 LA English  
 AB (Phenylamino)pyrimidines represent a novel class of inhibitors of the PDGF-receptor autophosphorylation with a high degree of selectivity vs. other tyrosine and serine/threonine kinases. Optimum activity of ca 10 nM (IC50) was observed when the phenylamino-group which is attached to the pyrimidine carries a benzamide-moiety with a lipophilic substituent in 4-position. The target compds. were derivs. of 4-methyl-N3-[4-(3-pyridinyl)-2-pyrimidinyl]-1,3-benzenediamine I (R2 = H, Me; R3 = H, benzoyl, Me, etc.; R4 = H, benzoyl, etc.). A 2-thienyl analog of I was also prepared and tested.  
 IT 152459-77-3P 152459-94-4P 152459-96-6P  
 152459-98-8P 152459-99-9P 180258-56-4P  
 180258-58-6P 180258-59-7P  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)  
 (preparation of [(pyridinyl)pyrimidinyl]benzenediamines as tyrosine kinase or serine/threonine kinase inhibitors)  
 RN 152459-77-3 CAPLUS  
 CN Benzamide, N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-94-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)




RN 152459-96-6 CAPLUS

CN Benzamide, 4-methyl-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-98-8 CAPLUS

CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-99-9 CAPLUS

CN Benzamide, 2-methoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 180258-56-4 CAPLUS


CN Benzamide, N-[4-methyl-3-[[4-(1-oxido-3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 180258-58-6 CAPLUS


CN Benzamide, N-[4-chloro-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)

10/528,913




RN 180258-59-7 CAPLUS

CN Benzamide, N-[4-methoxy-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(9CI) (CA INDEX NAME)




L10 ANSWER 49 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1995:909361 CAPLUS  
 DN 123:313996  
 TI Preparation of N-phenyl-2-pyrimidineamine antitumor agents  
 IN Zimmermann, Juerg  
 PA Ciba-Geigy A.-G., Switz.  
 SO PCT Int. Appl., 69 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9509847	A1	19950413	WO 1994-EP3150	19940921
	W: AM, AU, BB, BG, BR, BY, CA, CN, CZ, EE, FI, GE, HU, JP, KG, KP, KR, KZ, LK, LR, LT, LV, MD, MG, MN, NO, NZ, PL, RO, RU, SI, SK, TJ, TT, UA, US, UZ, VN				
	RW: KE, MW, SD, SZ, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	CA 2148931	A1	19950413	CA 1993-2148931	19930921
	AU 9476976	A	19950501	AU 1994-76976	19940921
	AU 693475	B2	19980702		
	EP 672035	A1	19950920	EP 1994-927634	19940921
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
	JP 08503971	T	19960430	JP 1994-510577	19940921
	US 5612340	A	19970318	US 1995-436345	19950517
PRAI	CH 1993-2967	A	19931001		
	CH 1994-2279	A	19940718		
	WO 1994-EP3150	W	19940921		
OS	MARPAT 123:313996				
AB	N-phenyl-2-pyrimidineamine derivs. [I; R1 = naphthyl, fluorenyl, anthracenyl, (un)substituted cyclic residue, etc.; R2 = NO2, F-substituted lower alkoxy, etc.] [e.g., N-[3-(1,1,2,2-tetrafluoroethoxy)phenyl]-4-(3,4,5-trimethoxyphenyl)-2-pyrimidineamine; m.p. 132°], useful for the treatment of tumor diseases (no data), are prepared and I-containing formulations presented.				
IT	170141-43-2P RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation of N-phenyl-2-pyrimidineamine antitumor agents)				
RN	170141-43-2 CAPLUS				
CN	Benzamide, N-[3-[[4-[2-[(2-aminoethyl)amino]-4-pyridinyl]-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)				



L10 ANSWER 50 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1995:479796 CAPLUS  
 DN 122:230302  
 TI Selective inhibition of the platelet-derived growth factor signal transduction pathway by a protein-tyrosine kinase inhibitor of the 2-phenylaminopyrimidine class  
 AU Buchdunger, Elisabeth; Zimmermann, Juerg; Mett, Helmut; Meyer, Thomas; Mueller, Marcel; Regenass, Urs; Lydon, Nicholas B.  
 CS Oncology Research Department, CIBA-Geigy Limited, Basel, CH-4002, Switz.  
 SO Proceedings of the National Academy of Sciences of the United States of America (1995), 92(7), 2558-62  
 CODEN: PNASA6; ISSN: 0027-8424  
 PB National Academy of Sciences  
 DT Journal  
 LA English  
 AB The platelet-derived growth factor (PDGF) receptor is a member of the transmembrane growth factor receptor protein family with intrinsic protein-tyrosine kinase activity. The authors described a potent protein-tyrosine kinase inhibitor (CGP 53716) that shows selectivity for the PDGF receptor in vitro and in the cell. The compound shows selectivity for inhibition of PDGF-mediated events such as PDGF receptor autophosphorylation, cellular tyrosine phosphorylation, and c-fos mRNA induction in response to PDGF stimulation of intact cells. In contrast, ligand-induced autophosphorylation of the epidermal growth factor (EGF) receptor, insulin receptor, and the insulin-like growth factor I receptor, as well as c-fos mRNA expression induced by EGF, fibroblast growth factor, and phorbol ester, was insensitive to inhibition by CGP 53716. In antiproliferative assays, the compound was  $\approx 30$ -fold more potent in inhibiting PDGF-mediated growth of v-sis-transformed BALB/c 3T3 cells relative to inhibition of EGF-dependent BALB/MK cells, interleukin-3-dependent FDC-P1 cells, and the T24 bladder carcinoma line. When tested in vivo using highly tumorigenic v-sis- and human c-sis-transformed BALB/c 3T3 cells, CGP 53716 showed antitumor activity at well-tolerated doses. In contrast, CGP 53716 did not show antitumor activity against xenografts of the A431 tumor, which overexpresses the EGF receptor. These findings suggest that CGP 53716 may have therapeutic potential for the treatment of diseases involving abnormal cellular proliferation induced by PDGF receptor activation.  
 IT 152459-94-4  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (phenylaminopyrimidine derivative as inhibitor of platelet-derived growth factor receptor tyrosine kinase)  
 RN 152459-94-4 CAPLUS  
 CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)



L10 ANSWER 51 OF 51 CAPLUS COPYRIGHT 2007 ACS on STN  
 AN 1994:107056 CAPLUS  
 DN 120:107056  
 TI Preparation of 2-anilinopyrimidines as antiatherosclerotics and neoplasm inhibitors  
 IN Zimmermann, Juerg  
 PA Ciba-Geigy A.-G., Switz.  
 SO Eur. Pat. Appl., 23 pp.  
 CODEN: EPXXDW  
 DT Patent  
 LA German  
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 564409	A1	19931006	EP 1993-810219	19930325
	EP 564409	B1	20000119		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
	AT 188964	T	20000215	AT 1993-810219	19930325
	ES 2142857	T3	20000501	ES 1993-810219	19930325
	PT 564409	T	20000630	PT 1993-810219	19930325
	FI 109534	B1	20020830	FI 1993-1458	19930331
	CA 2093203	A1	19931004	CA 1993-2093203	19930401
	CA 2093203	C	20021126		
	CZ 283944	B6	19980715	CZ 1993-560	19930401
	RU 2125992	C1	19990210	RU 1993-5357	19930401
	IL 105264	A	19990411	IL 1993-105264	19930401
	SK 280620	B6	20000516	SK 1993-280	19930401
	NO 9301283	A	19931004	NO 1993-1283	19930402
	NO 302473	B1	19980309		
	ZA 9302397	A	19931004	ZA 1993-2397	19930402
	AU 9335694	A	19931007	AU 1993-35694	19930402
	AU 666709	B2	19960222		
	CN 1077713	A	19931027	CN 1993-103566	19930402
	CN 1043531	B	19990602		
	HU 64050	A2	19931129	HU 1993-982	19930402
	JP 06087834	A	19940329	JP 1993-78096	19930405
	JP 2706682	B2	19980128		
	GR 3032927	T3	20000731	GR 2000-400623	20000310
PRAI	CH 1992-1083	A	19920403		

OS MARPAT 120:107056


AB Title compds. [I; R1 = pyridyl, 4-pyrazinyl, (acyl)aminophenyl, etc.; R2, R3 = H, alkyl; 1 or 2 of R4-R8 = NO2, fluoroalkoxy, NR9C(:X)YnR10 and the others = H, alkyl, alkanoyl, CF3, etc.; R9 = H, alkyl; R10 = (cyclo)aliphatic group, heterocyclyl, aryl, etc.; X = O, S, NH, etc.; Y = O or NH; n = 0 or 1] were prepared. Thus, 3-(O2N)C6H4NHC(:NH)NH2 [preparation from 3-(O2N)C6H4NH2 given] was cyclocondensed with R1COCH:CHNMe2 (R1 = 3-pyridyl) (preparation from 3-acetylpyridine given) to give I (R1 = 3-pyridyl, R2 = R3 = R5-R8 = H, R4 = NO2). I had IC50 of .apprx.0.5 to 5  $\mu$ M against protein kinase C in vitro.

IT 152459-76-2P 152459-77-3P 152459-81-9P  
 152459-82-0P 152459-86-4P 152459-87-5P  
 152459-88-6P 152459-91-1P 152459-92-2P  
 152459-94-4P 152459-96-6P 152459-98-8P  
 152459-99-9P 152460-05-4P

RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation of, as antiatherosclerotic and neoplasm inhibitor)


RN 152459-76-2 CAPLUS

CN Benzamide, 4-chloro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)




RN 152459-77-3 CAPLUS

CN Benzamide, N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-81-9 CAPLUS

CN Benzamide, 2,3,4,5,6-pentafluoro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-82-0 CAPLUS

CN Benzoic acid, 2-[[[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]amino]carbonyl]- (9CI) (CA INDEX NAME)




RN 152459-86-4 CAPLUS


CN Benzamide, 2-methoxy-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-87-5 CAPLUS  
 CN Benzamide, 4-fluoro-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)




RN 152459-88-6 CAPLUS  
 CN Benzamide, 4-cyano-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)




RN 152459-91-1 CAPLUS  
 CN Benzamide, 4-methyl-N-[3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)



RN 152459-92-2 CAPLUS  
 CN Benzamide, 4-chloro-N-[3-[[4-(4-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
 (9CI) (CA INDEX NAME)




RN 152459-94-4 CAPLUS

CN Benzamide, N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-  
(CA INDEX NAME)


RN 152459-96-6 CAPLUS

CN Benzamide, 4-methyl-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)




RN 152459-98-8 CAPLUS

CN Benzamide, 4-chloro-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 152459-99-9 CAPLUS


CN Benzamide, 2-methoxy-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 152460-05-4 CAPLUS

CN Benzamide, N-[3-methyl-5-[[4-(1-oxido-3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (9CI) (CA INDEX NAME)

10/528,913



10/528,913

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

269.71

490.32

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-39.78

-39.78

STN INTERNATIONAL LOGOFF AT 02:52:58 ON 01 OCT 2007